

Wacker Drill Hole Data BWNBWK0001 - 17

HOLE_ID	SAMPLE_ID	from	to	ag	as	au	bi	cu	mn	mo	pb	sb	se	te	zn
NAK001	417001	0	2	1	4000	2.31		1100	187	520	900				380
NAK001	417002	2	3	1	2700	1.9		1260	128	314	720				386
NAK001	417003	3	5.6	1	2200	1.8		3330	47	5810	480				226
NAK001	417004	5.6	5.8	1	100	0.28		1510	48	84	245				135
NAK001	417005	5.8	9	1	110	0.172		770	17	100	255				157
NAK001	417006	9	11	1	43	0.044		348	135	17	60				25
NAK001	417007	11	14	1	100	0.276		1270	23	177	139				58
NAK001	417008	14	16.3	1	340	0.181		1140	20	275	580				53
NAK001	417009	16.3	18	1	44	0.059		345	15	24	129				26
NAK001	417010	18	18.6	1	12	0.028		66	23	11	73				9
NAK001	417011	18.6	20.6	1	64	0.052		263	43	30	40				13
NAK001	417012	20.6	24	1	57	0.078		495	56	35	50				32
NAK001	417013	24	27	1	43	0.036		178	80	17	40				120
NAK001	417014	27	30	1	83	0.051		183	65	26	37				19
NAK001	417015	30	32	1	39	0.29		325	88	13	58				17
NAK001	417016	32	34.1	1	50	0.06		1310	72	26	41				38
NAK001	417017	34.1	37	1	28	0.051		372	26	11	57				86
NAK001	417018	37	40	1	3	0.012		2050	306	0	37				640
NAK001	417019	40	43.8	1	5	0.01		1150	504	0	29				950
NAK001	417020	43.8	46	1	59	0.041		1250	94	18	45				48
NAK001	417021	46	48	1	48	0.072		9600	114	27	47				276
NAK001	417022	48	50.7	1	12	0.087		336	26	0	45				203
NAK001	417023	50.7	53.8	1	63	0.014		4900	66	15	43				102
NAK001	417024	53.8	56	1	45	0.022		3100	63	25	38				467
NAK001	417025	56	58	1	47	0.057		4300	63	22	45				950
NAK001	417026	58	60	1	160	0.066		7800	72	45	50				1070
NAK001	417027	60	62	1	110	0.055		4100	70	56	41				800
NAK001	417028	62	63.1	1	170	0.092		9800	55	69	42				1510
NAK001	417029	63.1	66	1	6	0.005		40	23	0	69				183
NAK001	417030	66	67.7	1	20	0.028		298	52	11	35				125

Wacker Drill Hole Data BWNBWK0001 - 17

HOLE_ID	SAMPLE_ID	from	to	ag	as	au	bi	cu	mn	mo	pb	sb	se	te	zn
NAK001	417031	67.7	69.4	1	28	0.018		320	68	8	41				187
NAK001	417032	69.4	71.8	1	54	0.035		1840	115	14	46				1570
NAK001	417033	71.8	73.8	1	47	0.016		560	278	10	47				201
NAK001	417034	73.8	75.8	1	75	0.031		5100	98	13	59				800
NAK001	417035	75.8	78.4	1	28	0.025		26600	75	9	202				3320
NAK001	417036	78.4	81.4	1	37	0.015		2440	122	13	49				486
NAK001	417037	81.4	84	1	29	0.012		1080	540	13	110				680
NAK001	417038	84	87	1	18	0.005		353	1010	6	44				1460
NAK001	417039	87	90	1	15	0.017		40	306	0	35				415
NAK001	417040	90	93	1	15	0.03		278	225	5	30				228
NAK001	417041	93	96	1	17	0.008		392	492	8	35				445
NAK001	417042	96	99	1	15	0.005		80	1380	0	34				3740
NAK001	417043	99	101	1	5	0.017		208	307	10	30				285
NAK001	417044	101	103.3	1	23	0.014		2280	192	27	35				351
NAK001	417045	103.3	104.7	1	19	0.016		2480	192	16	32				311
NAK001	417046	104.7	107	1	21	0.014		780	273	9	31				266
NAK001	417047	107	108.3	1	34	0.011		530	194	12	30				2280
NAK001	417048	108.3	111	1	38	0.013		530	223	15	30				970
NAK001	417049	111	114	1	33	0.061		244	580	20	38				348
NAK001	417050	114	117	1	72	0.11		730	336	23	42				356
NAK001	417051	117	120	1	47	0.028		710	350	18	36				204
NAK001	417052	120	123.05	1	40	0.027		1180	366	29	38				315
NAK002	417053	0	2	1	140	1.55	70	297		207	16	90	3	7	30
NAK002	417054	3	6	1	62	1.11	30	89		56	12	50	3	3	20
NAK002	417055	6	9	1	310	0.805	30	191		104	33	40	2	7	29
NAK002	417056	9	11.17	1	66	0.177	50	1310		90	38	40	5	7	27
NAK002	417057	11.17	13.45	1	120	0.196	30	720		75	18	30	3	7	20
NAK002	417058	13.45	15.2	1	120	0.278	0	506		74	12	20	2	4	133
NAK002	417059	15.2	18.2	1	100	0.437	30	458		84	12	11	5	4	22
NAK002	417060	18.2	19.3	1	90	0.176	30	470		76	28	9	7	8	13

Wacker Drill Hole Data BWNBWK0001 - 17

HOLE_ID	SAMPLE_ID	from	to	ag	as	au	bi	cu	mn	mo	pb	sb	se	te	zn
NAK002	417061	19.3	20.1	1	100	0.227	30	610		87	28	15	4	15	20
NAK002	417062	20.1	21.2	1	110	0.177	20	670		84	28	7	5	10	22
NAK002	417063	21.2	23.03	1	850	0.084	70	2210		446	115	40	2	60	64
NAK002	417064	23.03	25.7	1	34	0.026	40	570		14	108	2	2	2	76
NAK002	417065	25.7	27.6	1	260	0.152	30	660		113	43	6	6	6	25
NAK002	417066	27.6	29.75	7	160	0.103	40	1280		97	40	8	8	2	29
NAK002	417067	29.75	32	1	70	0.084	30	860		118	42	7	16	5	16
NAK002	417068	32	32.8	1	68	0.107	40	1370		71	98	9	3	2	32
NAK002	417069	32.8	33.6	1	200	0.11	30	820		86	45	30	3	4	8
NAK002	417070	33.6	35.05	18	210	0.188	30	830		93	45	15	5	4	11
NAK002	417071	35.05	36.6	13	180	0.204	40	1140		118	47	9	6	4	12
NAK002	417072	36.6	38	12	71	0.15	30	600		55	26	4	3	6	14
NAK002	417073	38	39.4	21	91	0.084	40	630		67	45	6	2	6	35
NAK002	417074	39.4	40.85	27	77	0.07	0	2570		28	33	3	2	3	60
NAK002	417075	40.85	42.4	1	92	0.094	30	500		51	101	5	2	4	18
NAK002	417076	42.4	44	1	100	0.124	30	750		39	59	3	3	3	17
NAK002	417077	44	45.4	4	62	0.051	0	463		32	62	2	5	3	15
NAK002	417078	45.4	47	1	58	0.087	20	397		35	49	2	4	3	13
NAK002	417079	47	48.4	1	23	0.058	0	241		23	31	2	2	3	8
NAK002	417080	48.4	50	1	32	0.018	0	195		26	106	2	6	2	16
NAK002	417081	50	51.4	6	56	0.036	20	3500		50	40	3	2	2	241
NAK002	417082	51.4	52	1	42	0.014	0	198		18	67	2	2	2	105
NAK002	417083	52	54.4	1	28	0.005	0	128		0	36	2	2	2	64
NAK002	417084	54.4	56	1	14	0.01	0	138		0	23	2	2	3	30
NAK002	417085	56	59.1	1	26	0.008	0	233		0	19	2	2	5	30
NAK002	417086	59.1	62	1	13	0.03	0	760		0	22	2	2	2	47
NAK002	417087	62	63.4	1	33	0.025	0	11300		8	93	2	2	2	109
NAK002	417088	63.4	63.75	3	11	0.005	0	180		7	236	2	2	3	281
NAK002	417089	63.75	66.55	3	2	0.005	20	485		0	20	2	2	2	427
NAK002	417090	66.55	68.1	3	4	0.005	30	8700		0	27	2	2	2	560

Wacker Drill Hole Data BWNBWK001 - 17

HOLE_ID	SAMPLE_ID	from	to	ag	as	au	bi	cu	mn	mo	pb	sb	se	te	zn
NAK002	417091	68.1	71.3	4	2	0.005	0	506		0	30	2	2	2	433
NAK002	417092	71.3	72.65	1	2	0.005	0	131		0	88	2	2	2	94
NAK002	417093	72.65	74.1	3	5	0.005	0	7100		0	24	2	2	2	640
NAK002	417094	74.1	77	3	4	0.005	0	3880		0	44	2	2	2	830
NAK002	417095	77	80	3	2	0.005	0	268		0	53	2	2	2	184
NAK002	417096	80	83	1	4	0.005	0	77		0	105	2	2	2	134
NAK002	417097	83	86	3	4	0.005	0	19		0	26	2	2	2	109
NAK003	417099	0	2.3	1	380	0.813	80	1450		206	56	9	2	50	86
NAK003	417100	2.3	3	1	360	7	70	1080		156	55	10	2	50	94
NAK003	417101	3	4.1	1	360	0.584	50	1120		159	49	6	6	40	67
NAK003	417103	5.75	6.5	1	400	1.33	140	3300		960	71	5	2	40	81
NAK003	417104	6.5	8	1	280	0.506	40	960		158	26	2	3	7	64
NAK003	417105	8	8.95	1	190	0.412	40	750		94	29	2	2	3	78
NAK003	417106	8.95	10.35	1	930	0.399	30	780		200	109	20	2	4	76
NAK003	417107	10.35	12.5	1	2100	0.274	30	610		410	293	90	2	16	75
NAK003	417108	12.5	13.55	1	690	0.163	30	482		110	74	7	2	6	57
NAK003	417109	13.55	15.5	1	240	0.18	60	940		101	41	8	3	7	62
NAK003	417110	15.5	17.1	1	270	0.178	60	800		89	49	6	2	15	64
NAK003	417111	17.1	18.5	1	460	0.245	40	493		111	85	11	2	22	66
NAK003	417112	18.5	20.05	1	520	0.202	30	488		100	91	16	2	16	61
NAK003	417113	20.05	21.5	1	130	0.128	30	940		55	41	5	2	7	63
NAK003	417114	21.5	22.45	1	550	0.257	90	1210		164	73	9	2	30	61
NAK003	417115	22.45	24.5	1	80	0.106	40	1180		71	43	2	6	16	54
NAK003	417116	24.5	26.05	1	89	0.126	0	660		100	22	10	2	17	58
NAK003	417117	26.05	27.5	1	48	0.144	0	270		61	16	2	2	8	55
NAK003	417118	27.5	29	1	89	0.093	0	510		91	17	2	4	9	50
NAK003	417119	29	30.5	1	57	0.334	30	70		94	22	2	5	10	56
NAK003	417120	30.5	31.4	1	90	0.237	40	790		91	49	3	6	40	58
NAK003	417121	31.4	32.3	1	16	0.042	0	430		15	75	2	2	3	91
NAK003	417122	32.3	34.1	1	35	0.193	50	680		131	25	2	6	16	66

Wacker Drill Hole Data BWNBWK0001 - 17

HOLE_ID	SAMPLE_ID	from	to	ag	as	au	bi	cu	mn	mo	pb	sb	se	te	zn
NAK003	417123	34.1	35.63	1	49	0.12	20	570		88	22	2	2	20	70
NAK003	417124	35.63	37.15	1	52	0.114	20	590		61	25	2	8	12	72
NAK003	417125	37.15	38.7	1	46	0.091	0	510		71	22	2	8	9	72
NAK003	417126	38.7	40.3	1	42	0.106	20	600		67	29	2	7	7	69
NAK003	417127	40.3	41.85	1	19	0.146	0	390		58	14	2	2	3	70
NAK003	417128	41.85	43.55	1	39	0.117	0	620		59	17	2	2	5	63
NAK003	417129	43.55	45.05	1	51	0.073	0	700		84	21	2	2	16	59
NAK003	417130	45.05	45.65	1	38	0.06	20	560		79	18	2	2	10	59
NAK003	417131	45.65	46.6	1	41	0.1	20	710		67	28	2	5	9	58
NAK003	417132	46.6	47.6	1	45	0.116	20	700		69	31	2	6	6	52
NAK003	417133	47.6	48.05	1	10	0.032	30	2080		13	28	2	2	2	1170
NAK003	417134	48.05	50.98	1	18	0.028	40	1670		19	45	2	2	2	454
NAK003	417135	50.98	51.3	1	100	0.034	0	367		64	19	2	2	4	95
NAK003	417136	51.3	52.85	1	50	0.076	30	480		78	24	2	3	5	61
NAK003	417137	52.85	53.52	1	70	0.121	30	670		74	20	2	5	5	44
NAK003	417138	53.52	54.5	1	76	0.255	30	750		73	20	2	30	7	60
NAK003	417139	54.5	56	1	47	0.234	40	640		52	21	9	30	16	50
NAK003	417140	56	57.5	3	100	0.331	20	630		97	20	2	40	16	45
NAK003	417141	57.5	59	4	69	0.333	30	830		105	25	2	5	7	48
NAK003	417142	59	60.5	1	23	0.118	0	444		24	14	2	2	4	60
NAK003	417143	60.5	62.1	1	34	0.079	0	342		48	15	2	6	9	68
NAK003	417144	62.1	63.5	1	38	0.026	0	298		58	14	2	5	16	68
NAK003	417145	63.5	65.1	0	0	0	0	0	0	0	0	2	0	4	70
NAK003	417146	65.1	66.5	1	45	0.031	20	390		57	17	2	2	5	65
NAK003	417147	66.5	68.1	1	44	0.05	30	440		55	16	2	2	15	65
NAK003	417148	68.1	69.64	1	15	0.064	50	1300		8	112	2	2	4	64
NAK003	417149	69.64	71.1	1	47	0.052	30	500		41	26	2	2	11	59
NAK003	417150	71.1	72.5	1	48	0.042	30	730		59	22	2	2	3	42
NAK003	417151	72.5	74.1	1	42	0.028	40	970		57	20	2	2	9	43
NAK003	417152	74.1	75.5	1	14	0.005	20	213		17	87	2	2	9	117

Wacker Drill Hole Data BWNBWK0001 - 17

HOLE_ID	SAMPLE_ID	from	to	ag	as	au	bi	cu	mn	mo	pb	sb	se	te	zn
NAK003	417153	75.5	76.71	1	140	0.063	30	1110		85	25	2	15	30	55
NAK003	417154	76.71	77.89	5	69	0.027	0	380		57	31	2	2	6	67
NAK003	417155	77.89	78.5	6	76	0.101	0	730		63	24	2	6	6	64
NAK003	417156	78.5	80.05	1	49	0.062	20	730		46	29	2	16	5	64
NAK003	417157	80.05	81.5	1	26	0.114	20	700		35	17	2	15	6	60
NAK003	417158	81.5	83.05	2	33	0.101	30	700		34	20	8	30	11	55
NAK003	417159	83.05	84.5	1	31	0.059	20	560		35	17	2	5	8	55
NAK003	417160	84.5	85	24	54	0.072	30	700		48	19	2	7	7	47
NAK003	417161	85	86.1	10	41	0.042	0	4700		38	32	2	2	3	72
NAK003	417162	86.1	86.9	6	44	0.084	20	4050	35	25	38	2	2	5	75
NAK003	417163	86.9	88.7	5	3	0.005	30	820	620	8	40	2	2	2	500
NAK003	417164	88.7	89.72	5	3	0.005	40	1930	1170	10	45	2	2	2	580
NAK003	417165	89.72	90.6	5	36	0.114	30	1100	191	31	46	2	2	4	415
NAK003	417166	90.6	91.05	8	42	2.84	40	17100	42	68	59	2	2	7	284
NAK003	417167	91.05	91.95	5	35	0.074	30	11400	36	56	60	2	2	3	185
NAK003	417168	91.95	92.95	4	19	0.062	20	5100	37	27	42	2	3	4	417
NAK003	417169	92.95	94.25	4	32	0.05	20	4500	47	35	46	2	2	4	710
NAK003	417170	94.25	95.8	4	53	0.12	20	6400	61	39	45	2	3	3	1450
NAK003	417171	95.8	97.25	4	31	0.065	20	7500	58	46	56	2	2	2	930
NAK003	417172	97.25	98.85	8	28	0.052	20	5800	127	49	49	2	2	2	920
NAK003	417173	98.85	100.5	4	57	0.034	20	4600	110	47	36	2	2	3	930
NAK003	417174	100.5	101.4	4	40	0.073	20	4930	69	32	33	2	2	5	1390
NAK003	417175	101.4	102.4	3	11	0.011	0	2210	46	19	25	2	2	2	291
NAK003	417176	102.4	103.7	5	22	0.79	40	21800	59	39	40	2	5	2	750
NAK003	417177	103.7	105.3	4	26	0.195	20	10500	72	43	35	2	3	2	880
NAK003	417178	105.3	106.85	3	11	0.055	20	7500	39	27	30	2	3	3	166
NAK003	417179	106.85	108.35	3	12	0.005	0	4760	34	28	27	2	2	2	142
NAK003	417180	108.35	109.9	2	9	0.025	0	1500	27	19	28	2	2	2	435
NAK003	417181	109.9	110.6	4	6	0.171	30	3590	38	32	43	2	3	4	630
NAK003	417182	110.6	111.5	3	26	0.03	20	1730	66	27	56	2	2	2	335

Wacker Drill Hole Data BWNBWK0001 - 17

HOLE_ID	SAMPLE_ID	from	to	ag	as	au	bi	cu	mn	mo	pb	sb	se	te	zn
NAK003	417183	111.5	113	3	28	0.097	20	3350	128	29	54	2	3	3	950
NAK003	417184	113	114.5	3	24	0.096	20	3660	63	24	41	2	2	4	550
NAK003	417185	114.5	116.15	2	25	0.17	20	2800	45	20	37	2	2	6	310
NAK003	417186	116.15	118.05	21	15	7.72	40	10100	107	21	76	2	2	30	495
NAK003	417187	118.05	119.6	3	17	0.143	20	2490	42	45	33	2	5	7	193
NAK003	417188	119.6	121.2	4	29	1.54	40	4660	128	48	46	2	2	3	1320
NAK003	417189	121.2	122.7	8	39	3.2	30	2800	48	34	50	2	2	15	680
NAK003	417190	122.7	124.25	1	31	0.11	20	5800	57	22	35	2	2	3	302
NAK003	417191	124.25	125.8	1	37	0.126	20	1980	73	23	37	2	2	3	136
NAK003	417192	125.8	127.35	11	29	5.02	30	2360	152	28	37	2	2	16	401
NAK003	417193	127.35	128.9	5	41	0.583	20	1870	80	29	42	2	2	3	72
NAK003	417194	128.9	129.85	3	41	0.02	40	300	1120	12	51	2	2	3	72
NAK003	417195	129.85	131.53	3	41	0.05	30	3800	269	28	33	2	2	3	72
NAK003	417196	131.53	133.5	2	41	0.039	20	4490	356	25	32	2	2	3	72
NAK003	417197	133.5	135	3	41	0.051	20	5600	220	38	35	2	2	3	72
NAK003	417198	135	136.6	3	41	0.068	30	3100	224	51	30	2	2	3	72
NAK003	417199	136.6	138.05	1	17	0.061	30	4480		22	31	2	20	7	8100
NAK003	417200	138.05	139.4	1	2	0.108	50	252		5	40	2	2	2	4340
NAK003	417201	139.4	140.97	1	21	0.062	30	3930		21	27	2	4	9	426
NAK003	417202	140.97	141.75	1	11	0.052	30	5900		21	27	2	3	5	492
NAK003	417203	141.75	144.5	1	2	0.132	30	72		0	30	2	2	2	1630
NAK003	417204	144.5	146.4	1	2	0.03	30	47		6	32	2	2	2	2150
NAK003	417205	146.4	147.4	0	0	0	40	0	0	0	0	2	4	3	4950
NAK003	417206	147.4	148.9	1	18	0.345	40	5500		20	28	2	6	9	292
NAK003	417207	148.9	149.55	1	27	0.418	50	4400		35	33	2	5	8	171
NAK003	417208	149.55	149.9	1	7	0.47	50	940		12	48	2	5	2	2420
NAK003	417209	149.9	150.95	1	12	0.79	30	3810		16	19	2	3	7	428
NAK003	417210	150.95	152.5	1	20	0.26	50	2630		29	25	2	3	4	770
NAK003	417211	152.5	154.05	1	12	0.19	50	8400		35	26	2	6	8	730
NAK003	417212	154.05	155.4	1	18	0.572	70	14500		27	32	2	5	6	2520

Wacker Drill Hole Data BWNBWK0001 - 17

HOLE_ID	SAMPLE_ID	from	to	ag	as	au	bi	cu	mn	mo	pb	sb	se	te	zn
NAK003	417213	155.4	156.5	1	15	0.377	40	4810		32	26	2	40	8	970
NAK003	417214	156.5	157.75	1	21	0.066	40	3160		21	30	2	6	7	650
NAK003	417215	157.75	158.85	1	15	0.067	40	3910		22	29	2	5	6	960
NAK003	417216	158.85	159.5	1	2	0.189	50	139	224	8	32	2	2	2	2790
NAK003	417217	159.5	161.15	1	26	0.176	50	7500		43	32	2	5	7	1250
NAK003	417218	161.15	162.5	1	32	0.143	60	6100		31	35	2	5	9	710
NAK003	417219	162.5	163.85	1	41	0.476	60	6200		29	35	2	7	9	1130
NAK003	417220	163.85	164.8	1	16	0.562	40	1830		38	28	2	6	10	740
NAK003	417221	164.8	165.5	1	25	0.023	40	2490		21	31	2	4	3	133
NAK003	417222	165.5	167.1	1	25	0.082	50	4980		38	37	2	6	9	288
NAK003	417223	167.1	168.75	1	26	0.35	50	5200		44	30	2	6	9	317
NAK003	417224	168.75	169.15	1	2	0.01	60	223		8	34	2	2	2	3480
NAK003	417225	169.15	170.15	1	18	0.08	50	2990		25	25	2	3	9	630
NAK003	417226	170.15	171.15	1	34	0.066	60	8500		74	40	2	3	9	900
NAK003	417227	171.15	172.88	1	2	0.085	50	284		9	37	2	2	2	1170
NAK003	417228	172.88	174.9	16	26	0.131	40	461		20	30	2	2	6	1530
NAK003	417229	174.9	176.45	1	32	0.015	30	212		25	26	2	2	6	134
NAK003	417230	176.45	178.3	1	23	0.015	30	570		24	25	2	2	4	91
NAK003	417231	178.3	179.7	1	7	0.046	40	152		13	34	2	2	2	930
NAK003	417232	179.7	181.65	1	16	0.01	40	1450		31	29	2	5	7	147
NAK003	417233	181.65	182.05	1	7	0.033	60	246		11	37	2	2	2	760
NAK003	417234	182.05	183.05	1	9	0.005	30	680	224	20	23	2	2	3	109
NAK003	417235	183.05	184.05	1	2	0.082	60	95	224	8	30	2	2	2	1170
NAK004	Q74 D4-7-3	4	7	1	50	0.123	0	404	0	0	34	0	0	0	54
NAK004	Q74 D4-10-3	7	10	1	50	0.239	0	479	0	0	48	0	0	0	50
NAK004	Q74 D4-13-3	10	13	1	50	0.334	0	605	0	0	24	0	0	0	56
NAK004	Q74 D4-16-3	13	16	1	50	0.125	0	676	0	0	81	0	0	0	57
NAK004	Q74 D4-19-3	16	19	1	50	0.019	0	468	0	0	26	0	0	0	184
NAK004	Q74 D4-22-3	19	22	1	50	0.005	0	488	0	0	41	0	0	0	845
NAK004	Q74 D4-25-3	22	25	1	50	0.006	0	34	0	0	27	0	0	0	427

Wacker Drill Hole Data BWNBWK0001 - 17

HOLE_ID	SAMPLE_ID	from	to	ag	as	au	bi	cu	mn	mo	pb	sb	se	te	zn
NAK004	Q74 D4-28-3	25	28	1	50	0.006	0	33	0	0	27	0	0	0	508
NAK004	Q74 D4-31-3	28	31	1	50	0.005	0	20	0	0	24	0	0	0	499
NAK004	Q74 D4-34-3	31	34	1	50	0.005	0	25	0	0	29	0	0	0	576
NAK004	Q74 D4-37-3	34	37	1	50	0.005	0	192	0	0	45	0	0	0	320
NAK004	Q74 D4-40-3	37	40	1	50	0.005	0	801	0	0	99	0	0	0	421
NAK004	Q74 D4-43-3	40	43	1	50	0.005	0	914	0	0	57	0	0	0	809
NAK004	Q74 D4-46-3	43	46	1	50	0.005	0	80	0	0	55	0	0	0	1240
NAK004	Q74 D4-49-3	46	49	1	50	0.005	0	38	0	0	77	0	0	0	1230
NAK004	Q74 D4-52-3	49	52	1	50	0.005	0	54	0	0	54	0	0	0	1260
NAK004	Q74 D4-55-3	52	55	1	50	0.005	0	11	0	0	44	0	0	0	335
NAK004	Q74 D4-58-3	55	58	1	50	0.005	0	21	0	0	49	0	0	0	455
NAK004	Q74 D4-61-3	58	61	1	50	0.005	0	8	0	0	44	0	0	0	333
NAK004	Q74 D4-64-3	61	64	1	50	0.005	0	12	0	0	115	0	0	0	417
NAK004	Q74 D4-67-3	64	67	1	50	0.005	0	24	0	0	134	0	0	0	513
NAK004	Q74 D4-70-3	67	70	1	50	0.005	0	198	0	0	194	0	0	0	617
NAK004	Q74 D4-73-3	70	73	1	50	0.005	0	97	0	0	142	0	0	0	429
NAK004	Q74 D4-76-3	73	76	1	50	0.005	0	17	0	0	39	0	0	0	335
NAK004	Q74 D4-79-3	76	79	1	50	0.005	0	14	0	0	36	0	0	0	431
NAK004	Q74 D4-82-3	79	82	1	50	0.005	0	10	0	0	48	0	0	0	327
NAK004	Q74 D4-85-3	82	85	1	50	0.005	0	91	0	0	28	0	0	0	309
NAK004	Q74 D4-88-3	85	88	1	50	0.005	0	41	0	0	29	0	0	0	588
NAK004	Q74 D4-91-3	88	91	1	50	0.005	0	75	0	0	441	0	0	0	1065
NAK004	Q74 D4-94-3	91	94	1	50	0.005	0	30	0	0	500	0	0	0	972
NAK004	Q74 D4-97-3	94	97	1	50	0.005	0	13	0	0	36	0	0	0	402
NAK004	3	97	100	1	50	0.005	0	1	0	0	36	0	0	0	521
NAK004	3	100	103	1	50	0.005	0	29	0	0	66	0	0	0	2170
NAK004	3	103	106	1	50	0.005	0	26	0	0	66	0	0	0	1070
NAK004	107.6-1.6	106	107.6	1	50	0.005	0	73	0	0	53	0	0	0	868
NAK005	Q74 D5-3-3	0	3	1	50	0.269	0	772	0	0	31	0	0	0	43
NAK005	Q74 D5-6-3	3	6	1	50	0.32	0	1850	0	0	69	0	0	0	39

Wacker Drill Hole Data BWNBWK0001 - 17

HOLE_ID	SAMPLE_ID	from	to	ag	as	au	bi	cu	mn	mo	pb	sb	se	te	zn
NAK005	Q74 D5-9-3	6	9	1	50	0.142	0	659	0	0	47	0	0	0	311
NAK005	Q74 D5-12-3	9	12	1	50	0.016	0	205	0	0	15	0	0	0	92
NAK005	Q74 D5-15-3	12	15	1	50	0.11	0	190	0	0	38	0	0	0	139
NAK005	Q74 D5-18-3	15	18	1	50	0.005	0	311	0	0	51	0	0	0	183
NAK005	Q74 D5-21-3	18	21	1	90	0.005	0	356	0	0	131	0	0	0	299
NAK005	Q74 D5-24-3	21	24	1	50	0.005	0	392	0	0	47	0	0	0	290
NAK005	Q74 D5-27-3	24	27	10	50	0.005	0	738	0	0	40	0	0	0	234
NAK005	Q74 D5-30-3	27	30	9	50	0.005	0	415	0	0	32	0	0	0	173
NAK005	Q74 D5-33-3	30	33	1	50	0.008	0	465	0	0	17	0	0	0	191
NAK005	Q74 D5-36-3	33	36	1	50	0.01	0	617	0	0	27	0	0	0	491
NAK005	Q74 D5-39-3	36	39	1	50	0.006	0	1034	0	0	46	0	0	0	2680
NAK005	Q74 D5-42-3	39	42	1	50	0.006	0	108	0	0	70	0	0	0	956
NAK005	Q74 D5-45-3	42	45	1	50	0.005	0	1144	0	0	67	0	0	0	1270
NAK005	Q74 D5-48-3	45	48	1	50	0.014	0	150	0	0	111	0	0	0	2030
NAK005	Q74 D5-51-3	48	51	1	50	0.023	0	55	0	0	187	0	0	0	1970
NAK005	Q74 D5-54-3	51	54	1	50	0.027	0	56	0	0	141	0	0	0	1640
NAK005	Q74 D5-57-3	54	57	1	50	0.034	0	92	0	0	148	0	0	0	2670
NAK005	Q74 D5-60-3	57	60	1	50	0.054	0	32	0	0	22	0	0	0	1700
NAK005	Q74 D5-63-3	60	63	1	50	0.062	0	31	0	0	9	0	0	0	506
NAK005	Q74 D5-66-3	63	66	1	50	0.058	0	36	0	0	16	0	0	0	320
NAK005	Q74 D5-69-3	66	69	1	70	0.052	0	54	0	0	14	0	0	0	335
NAK005	Q74 D5-72-3	69	72	1	50	0.051	0	54	0	0	66	0	0	0	648
NAK005	Q74 D5-75-3	72	75	1	50	0.044	0	26	0	0	8	0	0	0	180
NAK005	Q74 D5-78-3	75	78	1	50	0.052	0	35	0	0	5	0	0	0	456
NAK005	Q74 D5-81-3	78	81	1	50	0.044	0	60	0	0	5	0	0	0	1002
NAK005	Q74 D5-84-3	81	84	1	50	0.051	0	20	0	0	5	0	0	0	348
NAK005	Q74 D5-87-3	84	87	1	50	0.046	0	35	0	0	5	0	0	0	501
NAK005	Q74 D5-90-3	87	90	1	50	0.018	0	130	0	0	5	0	0	0	1400
NAK005	Q74 D5-93-3	90	93	1	50	0.047	0	56	0	0	16	0	0	0	194
NAK005	Q74 D5-96-3	93	96	1	50	0.054	0	60	0	0	18	0	0	0	124

Wacker Drill Hole Data BWNBWK0001 - 17

HOLE_ID	SAMPLE_ID	from	to	ag	as	au	bi	cu	mn	mo	pb	sb	se	te	zn
NAK005	Q74 D5-99-3	96	99	1	50	0.07	0	36	0	0	7	0	0	0	209
NAK005	3	99	102	1	50	1.04	0	23	0	0	10	0	0	0	415
NAK005	3	102	105	1	50	0.094	0	31	0	0	13	0	0	0	648
NAK005	3	105	108	1	50	0.027	0	36	0	0	22	0	0	0	1190
NAK005	109.25-1.25	108	109.25	1	50	0.048	0	86	0	0	8	0	0	0	2000
NAK006	Q74 D6-3-3	0	3	1	100	0.141	0	603	0	0	30	0	0	0	107
NAK006	Q74 D6-6-3	3	6	1	220	0.193	0	1020	0	0	28	0	0	0	66
NAK006	Q74 D6-9-3	6	9	1	270	0.3	0	2110	0	0	40	0	0	0	40
NAK006	Q74 D6-12-3	9	12	1	190	0.2	0	1370	0	0	34	0	0	0	40
NAK006	Q74 D6-15-3	12	15	1	140	0.103	0	964	0	0	27	0	0	0	26
NAK006	Q74 D6-18-3	15	18	1	190	0.131	0	1180	0	0	30	0	0	0	32
NAK006	Q74 D6-21-3	18	21	3	50	0.033	0	719	0	0	37	0	0	0	20
NAK006	Q74 D6-24-3	21	24	1	90	0.077	0	911	0	0	20	0	0	0	23
NAK006	Q74 D6-27-3	24	27	1	80	0.133	0	1004	0	0	22	0	0	0	21
NAK006	Q74 D6-30-3	27	30	1	110	0.082	0	258	0	0	16	0	0	0	21
NAK006	Q74 D6-33-3	30	33	1	50	0.048	0	786	0	0	17	0	0	0	9
NAK006	Q74 D6-36-3	33	36	1	180	0.08	0	969	0	0	23	0	0	0	20
NAK006	Q74 D6-39-3	36	39	1	170	0.044	0	390	0	0	23	0	0	0	13
NAK006	Q74 D6-42-3	39	42	1	50	0.013	0	142	0	0	15	0	0	0	6
NAK006	Q74 D6-45-3	42	45	1	70	0.046	0	361	0	0	19	0	0	0	20
NAK006	Q74 D6-48-3	45	48	1	130	0.042	0	287	0	0	8	0	0	0	20
NAK006	Q74 D6-51-3	48	51	1	100	0.69	0	1030	0	0	19	0	0	0	22
NAK006	Q74 D6-54-3	51	54	1	50	0.138	0	714	0	0	17	0	0	0	22
NAK006	Q74 D6-57-3	54	57	1	50	0.089	0	514	0	0	17	0	0	0	15
NAK006	Q74 D6-60-3	57	60	1	50	0.169	0	1430	0	0	7	0	0	0	23
NAK006	Q74 D6-61-1	60	61	1	50	0.036	0	4010	0	0	26	0	0	0	92
NAK006	Q74 D6-62-1	61	62	1	130	0.205	0	1980	0	0	32	0	0	0	36
NAK006	Q74 D6-63-1	62	63	1	50	0.135	0	1650	0	0	26	0	0	0	33
NAK006	Q74 D6-64-1	63	64	1	50	0.088	0	980	0	0	21	0	0	0	26
NAK006	Q74 D6-65-1	64	65	1	150	0.052	0	1160	0	0	24	0	0	0	19

Wacker Drill Hole Data BWNBWK0001 - 17

HOLE_ID	SAMPLE_ID	from	to	ag	as	au	bi	cu	mn	mo	pb	sb	se	te	zn
NAK006	Q74 D6-66-1	65	66	1	80	0.068	0	921	0	0	26	0	0	0	24
NAK006	Q74 D6-67-1	66	67	1	50	0.091	0	2300	0	0	30	0	0	0	32
NAK006	Q74 D6-68-1	67	68	12	100	0.399	0	45100	0	0	35	0	0	0	49
NAK006	Q74 D6-69-1	68	69	8	50	0.374	0	32900	0	0	20	0	0	0	72
NAK006	Q74 D6-70-1	69	70	1	50	0.067	0	8600	0	0	18	0	0	0	58
NAK006	Q74 D6-71-1	70	71	1	50	0.072	0	975	0	0	20	0	0	0	32
NAK006	Q74 D6-72-1	71	72	5	50	0.093	0	1280	0	0	28	0	0	0	37
NAK006	Q74 D6-73-1	72	73	3	50	0.079	0	1003	0	0	29	0	0	0	56
NAK006	Q74 D6-74-1	73	74	1	50	0.043	0	355	0	0	18	0	0	0	33
NAK006	Q74 D6-75-1	74	75	1	50	0.035	0	526	0	0	27	0	0	0	27
NAK006	Q74 D6-76-1	75	76	1	50	0.112	0	783	0	0	23	0	0	0	36
NAK006	Q74 D6-77-1	76	77	1	60	0.07	0	3220	0	0	17	0	0	0	35
NAK006	Q74 D6-78-1	77	78	1	120	0.051	0	2770	0	0	19	0	0	0	42
NAK006	Q74 D6-79-1	78	79	1	140	0.01	0	1250	0	0	29	0	0	0	243
NAK006	Q74 D6-80-1	79	80	1	50	0.022	0	406	0	0	31	0	0	0	540
NAK006	Q74 D6-81-1	80	81	1	50	0.075	0	4030	0	0	22	0	0	0	312
NAK006	Q74 D6-82-1	81	82	1	50	0.064	0	4080	0	0	26	0	0	0	927
NAK006	Q74 D6-83-1	82	83	1	50	0.09	0	1260	0	0	17	0	0	0	371
NAK006	Q74 D6-84-1	83	84	1	50	0.005	0	164	0	0	48	0	0	0	1190
NAK006	Q74 D6-85-1	84	85	1	50	0.01	0	8130	0	0	29	0	0	0	744
NAK006	Q74 D6-86-1	85	86	1	50	0.009	0	2870	0	0	20	0	0	0	269
NAK006	Q74 D6-87-1	86	87	1	50	0.073	0	856	0	0	26	0	0	0	93
NAK006	Q74 D6-88-1	87	88	1	50	0.018	0	3010	0	0	28	0	0	0	683
NAK006	Q74 D6-89-1	88	89	1	50	0.025	0	508	0	0	19	0	0	0	126
NAK006	Q74 D6-90-1	89	90	1	50	0.005	0	762	0	0	25	0	0	0	1210
NAK006	Q74 D6-91-1	90	91	1	50	0.01	0	435	0	0	21	0	0	0	2900
NAK006	Q74 D6-92-1	91	92	1	50	0.005	0	107	0	0	19	0	0	0	844
NAK006	Q74 D6-93-1	92	93	1	50	0.014	0	1330	0	0	33	0	0	0	2740
NAK006	Q74 D6-94-1	93	94	1	50	0.024	0	6190	0	0	26	0	0	0	344
NAK006	Q74 D6-95-1	94	95	1	50	0.035	0	3240	0	0	15	0	0	0	4790

Wacker Drill Hole Data BWNBWK0001 - 17

HOLE_ID	SAMPLE_ID	from	to	ag	as	au	bi	cu	mn	mo	pb	sb	se	te	zn
NAK006	Q74 D6-96-1	95	96	1	50	0.031	0	2020	0	0	25	0	0	0	96
NAK006	Q74 D6-97-1	96	97	1	50	0.04	0	1270	0	0	28	0	0	0	451
NAK006	Q74 D6-98-1	97	98	1	50	0.046	0	3310	0	0	29	0	0	0	1290
NAK006	Q74 D6-99-1	98	99	2	50	0.025	0	9600	0	0	40	0	0	0	5970
NAK006	1	99	100	4	50	0.056	0	19200	0	0	60	0	0	0	8920
NAK006	1	100	101	6	50	0.071	0	26700	0	0	66	0	0	0	4150
NAK006	1	101	102	5	50	0.076	0	22000	0	0	56	0	0	0	1160
NAK006	1	102	103	7	50	0.088	0	34300	0	0	65	0	0	0	9530
NAK006	1	103	104	1	50	0.044	0	8060	0	0	25	0	0	0	1890
NAK006	1	104	105	3	50	0.05	0	6620	0	0	44	0	0	0	8070
NAK006	1	105	106	1	180	0.048	0	4880	0	0	78	0	0	0	7490
NAK006	1	106	107	1	50	0.063	0	2840	0	0	24	0	0	0	506
NAK006	1	107	108	1	50	0.038	0	3630	0	0	31	0	0	0	196
NAK006	1	108	109	1	50	0.055	0	8270	0	0	38	0	0	0	781
NAK006	1	109	110	1	50	0.031	0	5810	0	0	20	0	0	0	1700
NAK006	1	110	111	10	50	0.036	0	9500	0	0	36	0	0	0	1210
NAK006	1	111	112	1	110	0.038	0	1950	0	0	17	0	0	0	633
NAK006	1	112	113	1	60	0.017	0	4200	0	0	13	0	0	0	2380
NAK006	1	113	114	1	50	0.016	0	3450	0	0	18	0	0	0	2980
NAK006	1	114	115	1	60	0.022	0	4970	0	0	28	0	0	0	8250
NAK006	1	115	116	1	70	0.038	0	3210	0	0	13	0	0	0	202
NAK006	1	116	117	1	50	0.017	0	781	0	0	27	0	0	0	953
NAK006	1	117	118	1	50	0.005	0	23	0	0	32	0	0	0	618
NAK006	1	118	119	1	50	0.005	0	171	0	0	28	0	0	0	763
NAK006	1	119	120	1	50	0.005	0	82	0	0	26	0	0	0	656
NAK006	1	120	121	1	50	0.005	0	143	0	0	28	0	0	0	390
NAK006	1	121	122	1	50	0.005	0	92	0	0	49	0	0	0	1080
NAK006	1	122	123	1	50	0.008	0	546	0	0	24	0	0	0	10000
NAK006	1	123	124				0	0	0	0		0	0	0	
NAK006	1	124	125	1	50	0.1	0	820	0	0	15	0	0	0	10000

Wacker Drill Hole Data BWNBWK0001 - 17

HOLE_ID	SAMPLE_ID	from	to	ag	as	au	bi	cu	mn	mo	pb	sb	se	te	zn
NAK006	1	125	126	1	50	0.005	0	161	0	0	22	0	0	0	1580
NAK006	1	126	127	1	50	0.005	0	123	0	0	37	0	0	0	960
NAK006	1	127	128	1	50	0.005	0	2550	0	0	38	0	0	0	1250
NAK006	1	128	129	1	50	0.005	0	8500	0	0	11	0	0	0	613
NAK006	1	129	130	1	50	0.006	0	14700	0	0	11	0	0	0	930
NAK006	1	130	131	1	50	0.005	0	2080	0	0	19	0	0	0	286
NAK006	1	131	132	1	50	0.007	0	8100	0	0	18	0	0	0	513
NAK006	1	132	133	1	50	0.01	0	342	0	0	20	0	0	0	487
NAK006	1	133	134	1	50	0.005	0	21700	0	0	12	0	0	0	564
NAK006	1	134	135	1	50	0.013	0	29300	0	0	19	0	0	0	1670
NAK006	1	135	136	1	50	0.005	0	4990	0	0	9	0	0	0	1850
NAK006	1	136	137	1	50	0.005	0	11600	0	0	16	0	0	0	440
NAK006	Q74 D6138-1	137	138	1	50	0.009	0	19400	0	0	24	0	0	0	1330
NAK006	1	138	139	1	50	0.011	0	3970	0	0	14	0	0	0	558
NAK006	1	139	140	1	50	0.021	0	8400	0	0	15	0	0	0	1180
NAK006	1	140	141	1	60	0.016	0	331	0	0	8	0	0	0	186
NAK006	1	141	142	1	120	0.013	0	3120	0	0	12	0	0	0	579
NAK006	1	142	143	1	50	0.01	0	5700	0	0	11	0	0	0	442
NAK006	1	143	144	1	50	0.011	0	2670	0	0	14	0	0	0	246
NAK006	1	144	145	1	50	0.005	0	314	0	0	19	0	0	0	413
NAK006	1	145	146	1	50	0.005	0	194	0	0	12	0	0	0	283
NAK006	1	146	147	1	50	0.014	0	3210	0	0	9	0	0	0	180
NAK006	1	147	148	1	50	0.012	0	996	0	0	10	0	0	0	180
NAK006	1	148	149	1	50	0.16	0	6460	0	0	19	0	0	0	270
NAK006	1	149	150	1	70	0.15	0	814	0	0	15	0	0	0	119
NAK006	1	150	151	1	50	0.021	0	2170	0	0	16	0	0	0	96
NAK006	1	151	152	1	50	0.014	0	6100	0	0	12	0	0	0	127
NAK006	1	152	153	1	50	0.026	0	5800	0	0	9	0	0	0	98
NAK006	1	153	154	1	50	0.015	0	6800	0	0	12	0	0	0	121
NAK006	1	154	155	1	60	0.02	0	3700	0	0	10	0	0	0	367

Wacker Drill Hole Data BWNBWK0001 - 17

HOLE_ID	SAMPLE_ID	from	to	ag	as	au	bi	cu	mn	mo	pb	sb	se	te	zn
NAK006	1	155	156	2	160	0.022	0	42300	0	0	27	0	0	0	1050
NAK006	1	156	157	1	50	0.022	0	12900	0	0	16	0	0	0	345
NAK006	1	157	158	1	50	0.036	0	19800	0	0	26	0	0	0	204
NAK006	1	158	159	1	50	0.025	0	6260	0	0	10	0	0	0	86
NAK006	1	159	160	1	50	0.025	0	3610	0	0	23	0	0	0	153
NAK006	1	160	161	1	50	0.02	0	3180	0	0	15	0	0	0	120
NAK006	1	161	162	1	60	0.018	0	8250	0	0	24	0	0	0	262
NAK006	1	162	163	1	110	0.019	0	9300	0	0	21	0	0	0	238
NAK006	1	163	164	1	50	0.014	0	9300	0	0	17	0	0	0	442
NAK006	1	164	165	2	50	0.02	0	22600	0	0	15	0	0	0	379
NAK006	1	165	166	4	120	0.024	0	41600	0	0	13	0	0	0	1030
NAK006	1	166	167	2	120	0.016	0	15300	0	0	18	0	0	0	1980
NAK006	1	167	168	1	50	0.016	0	180	0	0	10	0	0	0	366
NAK006	1	168	169	1	50	0.015	0	90	0	0	20	0	0	0	1020
NAK006	1	169	170	1	50	0.017	0	103	0	0	13	0	0	0	772
NAK006	2	170	171	1	50	0.018	0	218	0	0	20	0	0	0	586
NAK006	1	171	172	1	50	0.013	0	2230	0	0	23	0	0	0	292
NAK006	1	172	173	1	50	0.014	0	1008	0	0	22	0	0	0	133
NAK006	1	173	174	1	50	0.027	0	1670	0	0	11	0	0	0	72
NAK006	1	174	175	1	50	0.025	0	13900	0	0	35	0	0	0	104
NAK006	1	175	176	1	50	0.008	0	7800	0	0	27	0	0	0	275
NAK006	1	176	177	1	50	0.009	0	2020	0	0	29	0	0	0	241
NAK006	1	177	178	1	50	0.021	0	2340	0	0	18	0	0	0	90
NAK006	1	178	179	1	50	0.075	0	1440	0	0	19	0	0	0	79
NAK006	1	179	180	1	50	0.022	0	4330	0	0	16	0	0	0	135
NAK006	1	180	181	1	50	0.037	0	3070	0	0	21	0	0	0	360
NAK006	1	181	182	1	50	0.036	0	6900	0	0	26	0	0	0	331
NAK006	1	182	183	1	50	0.043	0	820	0	0	14	0	0	0	125
NAK006	1	183	184	1	90	0.029	0	1700	0	0	18	0	0	0	367
NAK006	1	184	185	1	50	0.07	0	2620	0	0	11	0	0	0	239

Wacker Drill Hole Data BWNBWK0001 - 17

HOLE_ID	SAMPLE_ID	from	to	ag	as	au	bi	cu	mn	mo	pb	sb	se	te	zn
NAK006	1	185	186	1	50	0.029	0	128	0	0	13	0	0	0	92
NAK006	1	186	187	1	50	0.705	0	999	0	0	17	0	0	0	195
NAK006	1	187	188	1	50	0.023	0	2640	0	0	12	0	0	0	311
NAK006	1	188	189	1	100	0.022	0	3100	0	0	13	0	0	0	377
NAK006	1	189	190	1	50	0.009	0	93	0	0	16	0	0	0	214
NAK006	1	190	191	1	50	0.014	0	2223	0	0	27	0	0	0	120
NAK006	1	191	192	1	120	0.011	0	205	0	0	17	0	0	0	150
NAK006	1	192	193	1	50	0.013	0	864	0	0	24	0	0	0	398
NAK006	1	193	194	1	50	0.015	0	808	0	0	21	0	0	0	254
NAK006	1	194	195	1	50	0.026	0	4990	0	0	27	0	0	0	176
NAK006	1	195	196	1	50	0.01	0	3120	0	0	20	0	0	0	230
NAK006	1	196	197	1	50	0.009	0	1010	0	0	19	0	0	0	111
NAK006	1	197	198	1	50	0.006	0	71	0	0	25	0	0	0	46
NAK006	1	198	199	1	50	0.017	0	607	0	0	23	0	0	0	97
NAK006	1	199	200	1	50	0.005	0	85	0	0	23	0	0	0	710
NAK006	1	200	201	1	50	0.005	0	188	0	0	26	0	0	0	70
NAK006	1	201	202	1	50	0.007	0	54	0	0	23	0	0	0	104
NAK006	1	202	203	1	50	0.005	0	88	0	0	24	0	0	0	211
NAK006	1	203	204	1	50	0.005	0	532	0	0	29	0	0	0	118
NAK006	1	204	205	1	80	0.005	0	180	0	0	26	0	0	0	168
NAK007	Q74 D7-3-3	0	3	1	150	0.115	0	289	0	0	67	0	0	0	103
NAK007	Q74 D7-6-3	3	6	1	50	0.009	0	210	0	0	51	0	0	0	36
NAK007	Q74 D7-9-3	6	9	1	50	0.009	0	320	0	0	90	0	0	0	39
NAK007	Q74 D7-12-3	9	12	1	50	0.064	0	340	0	0	433	0	0	0	72
NAK007	Q74 D7-15-3	12	15	1	50	0.014	0	176	0	0	376	0	0	0	51
NAK007	Q74 D7-18-3	15	18	1	50	0.005	0	242	0	0	105	0	0	0	83
NAK007	Q74 D7-21-3	18	21	1	50	0.005	0	453	0	0	224	0	0	0	102
NAK007	Q74 D7-24-3	21	24	1	50	0.005	0	320	0	0	17	0	0	0	152
NAK007	Q74 D7-27-3	24	27	1	50	0.005	0	540	0	0	28	0	0	0	94
NAK007	Q74 D7-30-3	27	30	1	50	0.005	0	1280	0	0	30	0	0	0	296

Wacker Drill Hole Data BWNBWK0001 - 17

HOLE_ID	SAMPLE_ID	from	to	ag	as	au	bi	cu	mn	mo	pb	sb	se	te	zn
NAK007	Q74 D7-33-3	30	33	1	50	0.027	0	1810	0	0	13	0	0	0	395
NAK007	Q74 D7-36-3	33	36	1	50	0.025	0	470	0	0	33	0	0	0	860
NAK007	Q74 D7-39-3	36	39	1	50	0.032	0	165	0	0	48	0	0	0	147
NAK007	Q74 D7-42-3	39	42	1	50	0.02	0	140	0	0	51	0	0	0	135
NAK007	Q74 D7-45-3	42	45	1	50	0.018	0	620	0	0	85	0	0	0	418
NAK007	Q74 D7-48-3	45	48	1	50	0.011	0	154	0	0	14	0	0	0	240
NAK007	Q74 D7-51-3	48	51	1	50	0.01	0	44	0	0	16	0	0	0	333
NAK007	Q74 D7-54-3	51	54	1	50	0.007	0	8	0	0	24	0	0	0	420
NAK007	Q74 D7-57-3	54	57	1	50	0.005	0	12	0	0	9	0	0	0	510
NAK007	Q74 D7-60-3	57	60	1	50	0.005	0	12	0	0	12	0	0	0	530
NAK007	Q74 D7-63-3	60	63	1	50	0.005	0	92	0	0	26	0	0	0	407
NAK007	0.8	63	63.8	1	50	0.005	0	226	0	0	23	0	0	0	84
NAK008	Q74 D8-3-3	0	3	1	50	0.042	0	104	0	0	26	0	0	0	86
NAK008	Q74 D8-6-3	3	6	1	50	0.056	0	293	0	0	33	0	0	0	112
NAK008	Q74 D8-9-3	6	9	1	50	0.08	0	389	0	0	46	0	0	0	39
NAK008	Q74 D8-12-3	9	12	1	50	0.045	0	289	0	0	129	0	0	0	194
NAK008	Q74 D8-15-3	12	15	1	50	0.041	0	252	0	0	86	0	0	0	113
NAK008	Q74 D8-18-3	15	18	1	50	0.047	0	169	0	0	15	0	0	0	87
NAK008	Q74 D8-21-3	18	21	1	50	0.071	0	131	0	0	11	0	0	0	24
NAK008	Q74 D8-24-3	21	24	1	50	0.051	0	1330	0	0	25	0	0	0	368
NAK008	Q74 D8-27-3	24	27	1	50	0.052	0	3160	0	0	16	0	0	0	958
NAK008	Q74 D8-30-3	27	30	1	50	0.026	0	893	0	0	17	0	0	0	590
NAK008	Q74 D8-33-3	30	33	1	50	0.035	0	539	0	0	18	0	0	0	145
NAK008	Q74 D8-36-3	33	36	1	50	0.052	0	582	0	0	22	0	0	0	180
NAK008	Q74 D8-39-3	36	39	1	50	0.035	0	881	0	0	20	0	0	0	199
NAK008	Q74 D8-42-3	39	42	1	50	0.042	0	477	0	0	19	0	0	0	343
NAK008	Q74 D8-45-3	42	45	1	50	0.025	0	687	0	0	18	0	0	0	282
NAK008	Q74 D8-48-3	45	48	1	50	0.024	0	320	0	0	11	0	0	0	219
NAK008	Q74 D8-51-3	48	51	1	50	0.023	0	745	0	0	13	0	0	0	263
NAK008	Q74 D8-54-3	51	54	1	50	0.014	0	322	0	0	16	0	0	0	315

Wacker Drill Hole Data BWNBWK0001 - 17

HOLE_ID	SAMPLE_ID	from	to	ag	as	au	bi	cu	mn	mo	pb	sb	se	te	zn
NAK008	Q74 D8-57-3	54	57	1	50	0.005	0	222	0	0	10	0	0	0	417
NAK008	Q74 D8-60-3	57	60	1	50	0.009	0	65	0	0	8	0	0	0	359
NAK008	Q74 D8-63-3	60	63	1	50	0.024	0	33	0	0	10	0	0	0	758
NAK008	Q74 D8-66-3	63	66	1	50	0.034	0	48	0	0	13	0	0	0	845
NAK008	Q74 D8-69-3	66	69	1	50	0.034	0	13	0	0	13	0	0	0	396
NAK008	Q74 D8-72-3	69	72	1	50	0.007	0	48	0	0	12	0	0	0	316
NAK008	Q74 D8-75-3	72	75	1	50	0.018	0	161	0	0	181	0	0	0	304
NAK008	1.9	75	76.9	1	70	0.005	0	154	0	0	14	0	0	0	437
NAK009		0	4	0	0	0	0	112	0	0	0	0	0	0	0
NAK009		4	8	0	0	0	0	80	0	0	0	0	0	0	0
NAK009		8	12	0	0	0	0	80	0	0	0	0	0	0	0
NAK009		12	16	0	0	0	0	86	0	0	0	0	0	0	0
NAK009		16	20	0	0	0	0	38	0	0	0	0	0	0	0
NAK009		20	24	0	0	0	0	41	0	0	0	0	0	0	0
NAK009		24	28	0	0	0	0	29	0	0	0	0	0	0	0
NAK009		28	32	0	0	0	0	30	0	0	0	0	0	0	0
NAK009		32	36	0	0	0	0	2	0	0	0	0	0	0	0
NAK009		36	40	0	0	0	0	25	0	0	0	0	0	0	0
NAK009		40	44	0	0	0	0	2	0	0	0	0	0	0	0
NAK009		44	48	0	0	0	0	2	0	0	0	0	0	0	0
NAK009		48	52	0	0	0	0	2	0	0	0	0	0	0	0
NAK009		52	56	0	0	0	0	9	0	0	0	0	0	0	0
NAK009		56	60	0	0	0	0	48	0	0	0	0	0	0	0
NAK009		60	64	0	0	0	0	33	0	0	0	0	0	0	0
NAK009		64	68	0	0	0	0	5	0	0	0	0	0	0	0
NAK009		68	72	0	0	0	0	5	0	0	0	0	0	0	0
NAK009		72	76	0	0	0	0	1	0	0	0	0	0	0	0
NAK009		76	80	0	0	0	0	4	0	0	0	0	0	0	0
NAK009		80	82	0	0	0	0	4	0	0	0	0	0	0	0
NAK009		82	84	0	0	0	0	3	0	0	0	0	0	0	0

Wacker Drill Hole Data BWNBWK0001 - 17

HOLE_ID	SAMPLE_ID	from	to	ag	as	au	bi	cu	mn	mo	pb	sb	se	te	zn
NAK009		84	86	0	0	0	0	3	0	0	0	0	0	0	0
NAK009		86	88	0	0	0	0	10	0	0	0	0	0	0	0
NAK009		88	90	0	0	0	0	4	0	0	0	0	0	0	0
NAK009		90	92	0	0	0	0	40	0	0	0	0	0	0	0
NAK009		92	94	0	0	0	0	6	0	0	0	0	0	0	0
NAK009		94	96	0	0	0	0	12	0	0	0	0	0	0	0
NAK009		96	98	0	0	0	0	9	0	0	0	0	0	0	0
NAK009		98	100	0	0	0	0	5	0	0	0	0	0	0	0
NAK009		100	102	0	0	0	0	6	0	0	0	0	0	0	0
NAK009		102	104	0	0	0	0	16	0	0	0	0	0	0	0
NAK009		104	106	0	0	0	0	23	0	0	0	0	0	0	0
NAK009		106	108	0	0	0	0	17	0	0	0	0	0	0	0
NAK009		108	110	0	0	0	0	17	0	0	0	0	0	0	0
NAK009		110	112	0	0	0	0	3	0	0	0	0	0	0	0
NAK009		112	114	0	0	0	0	6	0	0	0	0	0	0	0
NAK009		114	116	0	0	0	0	6	0	0	0	0	0	0	0
NAK009		116	118	0	0	0	0	6	0	0	0	0	0	0	0
NAK009		118	120	0	0	0	0	5	0	0	0	0	0	0	0
NAK009		120	122	0	0	0	0	91	0	0	0	0	0	0	0
NAK009		122	124	0	0	0	0	220	0	0	0	0	0	0	0
NAK009		124	126	0	0	0	0	4200	0	0	0	0	0	0	0
NAK009		126	128	0	0	0	0	640	0	0	0	0	0	0	0
NAK009		128	130	0	0	0	0	8	0	0	0	0	0	0	0
NAK009		130	132	0	0	0	0	8	0	0	0	0	0	0	0
NAK009		132	134	0	0	0	0	22	0	0	0	0	0	0	0
NAK009		134	136	0	0	0	0	7	0	0	0	0	0	0	0
NAK009		136	138	0	0	0	0	9	0	0	0	0	0	0	0
NAK009		138	140	0	0	0	0	10	0	0	0	0	0	0	0
NAK009		140	142	0	0	0	0	8	0	0	0	0	0	0	0
NAK009		142	144	0	0	0	0	22	0	0	0	0	0	0	0

Wacker Drill Hole Data BWNBWK0001 - 17

HOLE_ID	SAMPLE_ID	from	to	ag	as	au	bi	cu	mn	mo	pb	sb	se	te	zn
NAK009		144	146	0	0	0	0	22	0	0	0	0	0	0	0
NAK009		146	148	0	0	0	0	15	0	0	0	0	0	0	0
NAK009		148	150	0	0	0	0	13	0	0	0	0	0	0	0
NAK009		150	152	0	0	0	0	45	0	0	0	0	0	0	0
NAK009		152	154	0	0	0	0	86	0	0	0	0	0	0	0
NAK009		154	156	0	0	0	0	62	0	0	0	0	0	0	0
NAK009		156	158	0	0	0	0	34	0	0	0	0	0	0	0
NAK009		158	160	0	0	0	0	107	0	0	0	0	0	0	0
NAK009		160	162	0	0	0	0	51	0	0	0	0	0	0	0
NAK009		162	164	0	0	0	0	37	0	0	0	0	0	0	0
NAK009		164	166	0	0	0	0	3	0	0	0	0	0	0	0
NAK009		166	168	0	0	0	0	44	0	0	0	0	0	0	0
NAK009		168	170	0	0	0	0	52	0	0	0	0	0	0	0
NAK009		170	172	0	0	0	0	54	0	0	0	0	0	0	0
NAK009		172	174	0	0	0	0	51	0	0	0	0	0	0	0
NAK009		174	176	0	0	0	0	55	0	0	0	0	0	0	0
NAK009		176	178	0	0	0	0	59	0	0	0	0	0	0	0
NAK009		178	180	0	0	0	0	28	0	0	0	0	0	0	0
NAK009		180	182	0	0	0	0	27	0	0	0	0	0	0	0
NAK009		182	184	0	0	0	0	94	0	0	0	0	0	0	0
NAK009		184	186	0	0	0	0	41	0	0	0	0	0	0	0
NAK009		186	188	0	0	0	0	16	0	0	0	0	0	0	0
NAK009		188	190	0	0	0	0	18	0	0	0	0	0	0	0
NAK009		190	192	0	0	0	0	14	0	0	0	0	0	0	0
NAK009		192	194	0	0	0	0	29	0	0	0	0	0	0	0
NAK009		194	196	0	0	0	0	40	0	0	0	0	0	0	0
NAK009		196	198	0	0	0	0	24	0	0	0	0	0	0	0
NAK009		198	200	0	0	0	0	11	0	0	0	0	0	0	0
NAK009		200	202	0	0	0	0	8	0	0	0	0	0	0	0
NAK009		202	204	0	0	0	0	16	0	0	0	0	0	0	0

Wacker Drill Hole Data BWNBWK0001 - 17

HOLE_ID	SAMPLE_ID	from	to	ag	as	au	bi	cu	mn	mo	pb	sb	se	te	zn
NAK009		204	206	0	0	0	0	13	0	0	0	0	0	0	0
NAK009		206	208	0	0	0	0	10	0	0	0	0	0	0	0
NAK009		208	210	0	0	0	0	10	0	0	0	0	0	0	0
NAK009		210	212	0	0	0	0	13	0	0	0	0	0	0	0
NAK009		212	214	0	0	0	0	13	0	0	0	0	0	0	0
NAK009		214	216	0	0	0	0	7	0	0	0	0	0	0	0
NAK009		216	218	0	0	0	0	12	0	0	0	0	0	0	0
NAK009		218	220	0	0	0	0	12	0	0	0	0	0	0	0
NAK009		220	222	0	0	0	0	10	0	0	0	0	0	0	0
NAK009		222	224	0	0	0	0	7	0	0	0	0	0	0	0
NAK009		224	226	0	0	0	0	14	0	0	0	0	0	0	0
NAK009		226	228	0	0	0	0	14	0	0	0	0	0	0	0
NAK009		228	230	0	0	0	0	11	0	0	0	0	0	0	0
NAK009		230	232	0	0	0	0	60	0	0	0	0	0	0	0
NAK009		232	234	0	0	0	0	31	0	0	0	0	0	0	0
NAK009		234	236	0	0	0	0	25	0	0	0	0	0	0	0
NAK009		236	238	0	0	0	0	27	0	0	0	0	0	0	0
NAK009		238	240	0	0	0	0	8	0	0	0	0	0	0	0
NAK009		240	242	0	0	0	0	11	0	0	0	0	0	0	0
NAK009		242	244	0	0	0	0	10	0	0	0	0	0	0	0
NAK009		244	246	0	0	0	0	11	0	0	0	0	0	0	0
NAK009		246	248	0	0	0	0	7	0	0	0	0	0	0	0
NAK009		248	250	0	0	0	0	10	0	0	0	0	0	0	0
NAK009		250	252	0	0	0	0	12	0	0	0	0	0	0	0
NAK009		252	254	0	0	0	0	23	0	0	0	0	0	0	0
NAK009		254	256	0	0	0	0	15	0	0	0	0	0	0	0
NAK009		256	258	0	0	0	0	12	0	0	0	0	0	0	0
NAK009		258	260	0	0	0	0	12	0	0	0	0	0	0	0
NAK009		260	262	0	0	0	0	10	0	0	0	0	0	0	0
NAK009		262	264	0	0	0	0	8	0	0	0	0	0	0	0

Wacker Drill Hole Data BWNBWK0001 - 17

HOLE_ID	SAMPLE_ID	from	to	ag	as	au	bi	cu	mn	mo	pb	sb	se	te	zn
NAK009		264	266	0	0	0	0	7	0	0	0	0	0	0	0
NAK009		266	268	0	0	0	0	8	0	0	0	0	0	0	0
NAK009		268	270	0	0	0	0	7	0	0	0	0	0	0	0
NAK009		270	272	0	0	0	0	7	0	0	0	0	0	0	0
NAK009		272	274	0	0	0	0	8	0	0	0	0	0	0	0
NAK009		274	276	0	0	0	0	9	0	0	0	0	0	0	0
NAK009		276	278	0	0	0	0	8	0	0	0	0	0	0	0
NAK009		278	280	0	0	0	0	28	0	0	0	0	0	0	0
NAK009		280	282	0	0	0	0	168	0	0	0	0	0	0	0
NAK009		282	284	0	0	0	0	62	0	0	0	0	0	0	0
NAK009		284	286	0	0	0	0	480	0	0	0	0	0	0	0
NAK009		286	288	0	0	0	0	126	0	0	0	0	0	0	0
NAK009		288	290	0	0	0	0	192	0	0	0	0	0	0	0
NAK009		290	292	0	0	0	0	4	0	0	0	0	0	0	0
NAK009		292	294	0	0	0	0	7	0	0	0	0	0	0	0
NAK009		294	296	0	0	0	0	8	0	0	0	0	0	0	0
NAK009		296	298	0	0	0	0	14	0	0	0	0	0	0	0
NAK009		298	300	0	0	0	0	11	0	0	0	0	0	0	0
NAK009		300	302	0	0	0	0	5	0	0	0	0	0	0	0
NAK009		302	304	0	0	0	0	17	0	0	0	0	0	0	0
NAK009		304	306	0	0	0	0	7	0	0	0	0	0	0	0
NAK009		306	308	0	0	0	0	6	0	0	0	0	0	0	0
NAK009		308	310	0	0	0	0	6	0	0	0	0	0	0	0
NAK009		310	312	0	0	0	0	8	0	0	0	0	0	0	0
NAK009		312	314	0	0	0	0	7	0	0	0	0	0	0	0
NAK009		314	316	0	0	0	0	3	0	0	0	0	0	0	0
NAK009		316	318	0	0	0	0	9	0	0	0	0	0	0	0
NAK009		318	320	0	0	0	0	4	0	0	0	0	0	0	0
NAK009		320	322	0	0	0	0	4	0	0	0	0	0	0	0
NAK009		322	324	0	0	0	0	7	0	0	0	0	0	0	0

Wacker Drill Hole Data BWNBWK0001 - 17

HOLE_ID	SAMPLE_ID	from	to	ag	as	au	bi	cu	mn	mo	pb	sb	se	te	zn
NAK009		324	326	0	0	0	0	9	0	0	0	0	0	0	0
NAK009		326	328	0	0	0	0	11	0	0	0	0	0	0	0
NAK009		328	330.5	0	0	0	0	9	0	0	0	0	0	0	0
NAK010	42000	0	1	0.2	0	0.18	0	457	0	0	10	0	0	0	10
NAK010	42001	1	2	0.2	0	0.13	0	927	0	0	130	0	0	0	16
NAK010	42002	2	3	0.2	0	0.02	0	256	0	0	45	0	0	0	143
NAK010	42003	3	4	0.2	0	0.01	0	364	0	0	19	0	0	0	57
NAK010	42004	4	5	0.2	0	0.01	0	356	0	0	15	0	0	0	70
NAK010	42005	5	6	0.2	0	0.01	0	870	0	0	12	0	0	0	71
NAK010	42006	6	7	0.2	0	0.01	0	307	0	0	5	0	0	0	105
NAK010	42007	7	8	0.2	0	0.01	0	346	0	0	2	0	0	0	66
NAK010	42008	8	9	0.2	0	0.01	0	492	0	0	7	0	0	0	98
NAK010	42009	9	10	0.2	0	0.01	0	251	0	0	2	0	0	0	47
NAK010	42010	10	11	0.2	0	0.01	0	183	0	0	3	0	0	0	40
NAK010	42011	11	12	0.2	0	0.01	0	100	0	0	2	0	0	0	19
NAK010	42012	12	13	0.2	0	0.01	0	105	0	0	3	0	0	0	46
NAK010	42013	13	14	0.2	0	0.01	0	146	0	0	3	0	0	0	45
NAK010	42014	14	15	0.2	0	0.01	0	85	0	0	2	0	0	0	33
NAK010	42015	15	16	0.2	0	0.01	0	96	0	0	2	0	0	0	26
NAK010	42016	16	17	0.2	0	0.01	0	144	0	0	2	0	0	0	17
NAK010	42017	17	18	0.2	0	0.01	0	77	0	0	2	0	0	0	21
NAK010	42018	18	19	0.2	0	0.01	0	52	0	0	3	0	0	0	14
NAK010	42019	19	20	0.2	0	0.01	0	59	0	0	2	0	0	0	21
NAK010	42020	20	21	0.2	0	0.01	0	56	0	0	3	0	0	0	28
NAK010	42021	21	22	0.2	0	0.01	0	45	0	0	3	0	0	0	24
NAK010	42022	22	23	0.2	0	0.01	0	57	0	0	3	0	0	0	32
NAK010	42023	23	24	0.2	0	0.01	0	65	0	0	4	0	0	0	17
NAK010	42024	24	25	0.2	0	0.01	0	56	0	0	3	0	0	0	14
NAK010	42025	25	26	0.2	0	0.01	0	61	0	0	2	0	0	0	8
NAK010	42026	26	27	0.4	0	0.01	0	63	0	0	2	0	0	0	12

Wacker Drill Hole Data BWNBWK0001 - 17

HOLE_ID	SAMPLE_ID	from	to	ag	as	au	bi	cu	mn	mo	pb	sb	se	te	zn
NAK010	42027	27	28	0.2	0	0.01	0	20	0	0	3	0	0	0	95
NAK010	42028	28	29	0.2	0	0.01	0	32	0	0	3	0	0	0	75
NAK010	42029	29	30	0.2	0	0.01	0	23	0	0	4	0	0	0	65
NAK010	42030	30	31	0.2	0	0.01	0	73	0	0	2	0	0	0	82
NAK010	42031	31	32	0.2	0	0.01	0	77	0	0	4	0	0	0	43
NAK010	42032	32	33	0.2	0	0.01	0	38	0	0	4	0	0	0	53
NAK010	42033	33	34	0.2	0	0.02	0	20	0	0	3	0	0	0	56
NAK010	42034	34	35	0.2	0	0.01	0	50	0	0	4	0	0	0	72
NAK010	42035	35	36	0.2	0	0.01	0	84	0	0	3	0	0	0	113
NAK010	42036	36	37	0.2	0	0.01	0	40	0	0	4	0	0	0	103
NAK010	42037	37	38	0.2	0	0.02	0	45	0	0	3	0	0	0	113
NAK010	42038	38	39	0.2	0	0.01	0	28	0	0	2	0	0	0	297
NAK010	42039	39	40	0.2	0	0.01	0	38	0	0	2	0	0	0	496
NAK010	42040	40	41	0.2	0	0.01	0	46	0	0	3	0	0	0	429
NAK010	42041	41	42	0.2	0	0.01	0	53	0	0	2	0	0	0	135
NAK010	42042	42	43	0.2	0	0.01	0	222	0	0	2	0	0	0	79
NAK010	42043	43	44	0.2	0	0.01	0	116	0	0	3	0	0	0	74
NAK010	42044	44	45	0.2	0	0.01	0	20	0	0	2	0	0	0	57
NAK010	42045	45	46	0.2	0	0.01	0	880	0	0	9	0	0	0	66
NAK010	42046	46	47	0.3	0	0.02	0	836	0	0	5	0	0	0	59
NAK010	42047	47	48	0.2	0	0.01	0	101	0	0	3	0	0	0	107
NAK010	42048	48	49	0.2	0	0.01	0	34	0	0	4	0	0	0	69
NAK010	42049	49	50	0.3	0	0.01	0	130	0	0	2	0	0	0	59
NAK010	42050	50	51	0.3	0	0.01	0	77	0	0	5	0	0	0	64
NAK010	42051	51	52	0.2	0	0.01	0	44	0	0	5	0	0	0	75
NAK010	42052	52	53	0.2	0	0.01	0	12	0	0	4	0	0	0	53
NAK010	42053	53	54	0.2	0	0.01	0	11	0	0	3	0	0	0	57
NAK010	42054	54	55	0.2	0	0.01	0	68	0	0	3	0	0	0	75
NAK010	42055	55	56	0.2	0	0.02	0	22	0	0	2	0	0	0	83
NAK010	42056	56	57	0.2	0	0.01	0	49	0	0	2	0	0	0	117

Wacker Drill Hole Data BWNBWK0001 - 17

HOLE_ID	SAMPLE_ID	from	to	ag	as	au	bi	cu	mn	mo	pb	sb	se	te	zn
NAK010	42057	57	58	0.2	0	0.01	0	50	0	0	2	0	0	0	100
NAK010	42058	58	59	0.2	0	0.01	0	67	0	0	2	0	0	0	67
NAK010	42059	59	60	0.2	0	0.01	0	141	0	0	3	0	0	0	125
NAK010	42060	60	61	0.2	0	0.01	0	57	0	0	8	0	0	0	120
NAK010	42061	61	62	0.2	0	0.01	0	17	0	0	3	0	0	0	153
NAK010	42062	62	63	0.2	0	0.01	0	31	0	0	2	0	0	0	107
NAK010	42063	63	64	0.2	0	0.01	0	76	0	0	2	0	0	0	77
NAK010	42064	64	65	0.2	0	0.01	0	61	0	0	3	0	0	0	62
NAK010	42065	65	66	0.2	0	0.01	0	26	0	0	6	0	0	0	78
NAK010	42066	66	67	0.2	0	0.01	0	42	0	0	2	0	0	0	96
NAK010	42067	67	68	0.2	0	0.01	0	23	0	0	3	0	0	0	89
NAK010	42068	68	69	0.3	0	0.01	0	165	0	0	6	0	0	0	92
NAK010	42069	69	70	0.4	0	0.01	0	945	0	0	4	0	0	0	85
NAK010	42070	70	71	0.4	0	0.02	0	115	0	0	14	0	0	0	113
NAK010	42071	71	72	0.3	0	0.02	0	23	0	0	8	0	0	0	34
NAK010	42072	72	73	0.2	0	0.01	0	50	0	0	3	0	0	0	57
NAK010	42073	73	74	0.4	0	0.01	0	3970	0	0	6	0	0	0	105
NAK010	42074	74	75	0.2	0	0.01	0	37	0	0	3	0	0	0	93
NAK010	42075	75	76.5	0.2	0	0.01	0	73	0	0	3	0	0	0	74
NAK011	42076	0	1	0.2	0	0.14	0	494	0	0	24	0	0	0	10
NAK011	42077	1	2	0.2	0	0.06	0	256	0	0	9	0	0	0	14
NAK011	42078	2	3	0.2	0	0.02	0	157	0	0	16	0	0	0	67
NAK011	42079	3	4	0.2	0	0.01	0	501	0	0	11	0	0	0	129
NAK011	42080	4	5	0.2	0	0.01	0	287	0	0	3	0	0	0	80
NAK011	42081	5	6	0.3	0	0.01	0	437	0	0	2	0	0	0	254
NAK011	42082	6	7	0.2	0	0.01	0	279	0	0	2	0	0	0	56
NAK011	42083	7	8	0.2	0	0.01	0	300	0	0	2	0	0	0	33
NAK011	42084	8	9	0.2	0	0.01	0	253	0	0	3	0	0	0	46
NAK011	42085	9	10	0.2	0	0.01	0	233	0	0	4	0	0	0	57
NAK011	42086	10	11	0.2	0	0.01	0	171	0	0	2	0	0	0	54

Wacker Drill Hole Data BWNBWK0001 - 17

HOLE_ID	SAMPLE_ID	from	to	ag	as	au	bi	cu	mn	mo	pb	sb	se	te	zn
NAK011	42087	11	12	0.2	0	0.01	0	106	0	0	2	0	0	0	27
NAK011	42088	12	13	0.2	0	0.01	0	155	0	0	2	0	0	0	19
NAK011	42089	13	14	0.2	0	0.01	0	64	0	0	2	0	0	0	12
NAK011	42090	14	15	0.2	0	0.01	0	54	0	0	2	0	0	0	20
NAK011	42091	15	16	0.2	0	0.01	0	60	0	0	2	0	0	0	33
NAK011	42092	16	17	0.2	0	0.01	0	122	0	0	2	0	0	0	27
NAK011	42093	17	18	0.2	0	0.01	0	102	0	0	3	0	0	0	19
NAK011	42094	18	19	0.3	0	0.01	0	35	0	0	2	0	0	0	16
NAK011	42095	19	20	0.3	0	0.01	0	30	0	0	2	0	0	0	17
NAK011	42096	20	21	0.2	0	0.01	0	50	0	0	3	0	0	0	25
NAK011	42097	21	22	0.2	0	0.01	0	39	0	0	3	0	0	0	20
NAK011	42098	22	23	0.2	0	0.01	0	61	0	0	3	0	0	0	45
NAK011	42099	23	24	0.2	0	0.01	0	55	0	0	4	0	0	0	27
NAK011	42100	24	25	0.2	0	0.01	0	55	0	0	2	0	0	0	23
NAK011	42101	25	26	0.2	0	0.01	0	105	0	0	3	0	0	0	25
NAK011	42102	26	27	0.2	0	0.01	0	332	0	0	2	0	0	0	23
NAK011	42103	27	28	0.2	0	0.01	0	199	0	0	2	0	0	0	19
NAK011	42104	28	29	0.2	0	0.01	0	41	0	0	3	0	0	0	34
NAK011	42105	29	30	0.2	0	0.01	0	84	0	0	2	0	0	0	28
NAK011	42106	30	31	0.2	0	0.01	0	134	0	0	2	0	0	0	47
NAK011	42107	31	32	0.2	0	0.01	0	122	0	0	3	0	0	0	28
NAK011	42108	32	33	0.2	0	0.01	0	179	0	0	3	0	0	0	34
NAK011	42109	33	34	0.2	0	0.01	0	25	0	0	3	0	0	0	51
NAK011	42110	34	35	0.2	0	0.01	0	66	0	0	2	0	0	0	58
NAK011	42111	35	36	0.2	0	0.01	0	7	0	0	2	0	0	0	55
NAK011	42112	36	37	0.2	0	0.01	0	14	0	0	2	0	0	0	69
NAK011	42113	37	38	0.2	0	0.01	0	111	0	0	4	0	0	0	32
NAK011	42114	38	39	0.2	0	0.01	0	77	0	0	3	0	0	0	37
NAK011	42115	39	40	0.2	0	0.01	0	46	0	0	6	0	0	0	36
NAK011	42116	40	41	0.2	0	0.01	0	92	0	0	6	0	0	0	29

Wacker Drill Hole Data BWNBWK0001 - 17

HOLE_ID	SAMPLE_ID	from	to	ag	as	au	bi	cu	mn	mo	pb	sb	se	te	zn
NAK011	42117	41	42	0.2	0	0.01	0	7	0	0	3	0	0	0	40
NAK011	42118	42	43	0.2	0	0.01	0	72	0	0	5	0	0	0	35
NAK011	42119	43	44	0.2	0	0.01	0	155	0	0	3	0	0	0	39
NAK011	42120	44	45	0.2	0	0.01	0	196	0	0	2	0	0	0	40
NAK011	42121	45	46	0.2	0	0.01	0	417	0	0	3	0	0	0	75
NAK011	42122	46	47	0.2	0	0.01	0	206	0	0	2	0	0	0	45
NAK011	42123	47	48	0.2	0	0.01	0	95	0	0	5	0	0	0	322
NAK011	42124	48	49	0.2	0	0.01	0	405	0	0	7	0	0	0	927
NAK011	42125	49	50	0.6	0	0.01	0	1430	0	0	2	0	0	0	715
NAK011	42126	50	51	0.2	0	0.01	0	148	0	0	6	0	0	0	116
NAK011	42127	51	52	0.2	0	0.01	0	25	0	0	4	0	0	0	26
NAK011	42128	52	53	0.3	0	0.01	0	107	0	0	6	0	0	0	19
NAK011	42129	53	54	0.2	0	0.01	0	99	0	0	3	0	0	0	34
NAK011	42130	54	55	0.5	0	0.01	0	155	0	0	3	0	0	0	15
NAK011	42131	55	56	0.2	0	0.01	0	96	0	0	3	0	0	0	7
NAK011	42132	56	57	0.2	0	0.02	0	96	0	0	5	0	0	0	15
NAK011	42133	57	58	0.3	0	0.01	0	69	0	0	3	0	0	0	7
NAK011	42134	58	59	0.2	0	0.02	0	94	0	0	5	0	0	0	262
NAK011	42135	59	60	0.2	0	0.02	0	69	0	0	3	0	0	0	683
NAK011	42136	60	61	0.2	0	0.01	0	66	0	0	2	0	0	0	481
NAK011	42137	61	62	0.2	0	0.01	0	12	0	0	2	0	0	0	31
NAK011	42138	62	63	0.2	0	0.01	0	9	0	0	3	0	0	0	34
NAK011	42139	63	64	0.2	0	0.01	0	13	0	0	4	0	0	0	23
NAK011	42140	64	65	0.2	0	0.01	0	8	0	0	3	0	0	0	25
NAK011	42141	65	66	0.3	0	0.02	0	13	0	0	4	0	0	0	26
NAK011	42142	66	67	0.2	0	0.01	0	17	0	0	3	0	0	0	34
NAK011	42143	67	68.6	0.2	0	0.01	0	15	0	0	4	0	0	0	33
NAK012	42144	0	1	0.2	0	0.32	0	312	0	0	10	0	0	0	7
NAK012	42145	1	2	0.2	0	0.09	0	279	0	0	21	0	0	0	7
NAK012	42146	2	3	0.2	0	0.02	0	95	0	0	12	0	0	0	131

Wacker Drill Hole Data BWNBWK0001 - 17

HOLE_ID	SAMPLE_ID	from	to	ag	as	au	bi	cu	mn	mo	pb	sb	se	te	zn
NAK012	42147	3	4	0.2	0	0.01	0	168	0	0	11	0	0	0	75
NAK012	42148	4	5	0.2	0	0.02	0	540	0	0	11	0	0	0	83
NAK012	42149	5	6	0.2	0	0.01	0	332	0	0	2	0	0	0	79
NAK012	42150	6	7	0.2	0	0.01	0	158	0	0	2	0	0	0	32
NAK012	42151	7	8	0.7	0	0.01	0	172	0	0	4	0	0	0	28
NAK012	42152	8	9	0.2	0	0.01	0	132	0	0	2	0	0	0	25
NAK012	42153	9	10	0.2	0	0.01	0	140	0	0	2	0	0	0	19
NAK012	42154	10	11	0.2	0	0.01	0	131	0	0	2	0	0	0	30
NAK012	42155	11	12	0.2	0	0.01	0	148	0	0	3	0	0	0	20
NAK012	42156	12	13	0.2	0	0.01	0	146	0	0	2	0	0	0	26
NAK012	42157	13	14	0.2	0	0.01	0	155	0	0	2	0	0	0	18
NAK012	42158	14	15	0.2	0	0.01	0	89	0	0	2	0	0	0	17
NAK012	42159	15	16	0.2	0	0.01	0	86	0	0	3	0	0	0	30
NAK012	42160	16	17	0.4	0	0.01	0	61	0	0	2	0	0	0	19
NAK012	42161	17	18	0.2	0	0.01	0	47	0	0	2	0	0	0	16
NAK012	42162	18	19	0.3	0	0.01	0	28	0	0	2	0	0	0	13
NAK012	42163	19	20	0.2	0	0.01	0	36	0	0	2	0	0	0	12
NAK012	42164	20	21	0.2	0	0.01	0	160	0	0	3	0	0	0	36
NAK012	42165	21	22	0.2	0	0.01	0	92	0	0	2	0	0	0	10
NAK012	42166	22	23	0.2	0	0.01	0	77	0	0	2	0	0	0	10
NAK012	42167	23	24	0.2	0	0.01	0	55	0	0	2	0	0	0	14
NAK012	42168	24	25	0.3	0	0.01	0	95	0	0	2	0	0	0	25
NAK012	42169	25	26	0.2	0	0.01	0	47	0	0	2	0	0	0	9
NAK012	42170	26	27	0.2	0	0.01	0	66	0	0	2	0	0	0	15
NAK012	42171	27	28	0.2	0	0.01	0	63	0	0	3	0	0	0	12
NAK012	42172	28	29	0.2	0	0.01	0	98	0	0	2	0	0	0	7
NAK012	42173	29	30	0.2	0	0.01	0	137	0	0	4	0	0	0	13
NAK012	42174	30	31	0.2	0	0.01	0	268	0	0	3	0	0	0	50
NAK012	42175	31	32	0.2	0	0.01	0	75	0	0	3	0	0	0	17
NAK012	42176	32	33	0.2	0	0.01	0	67	0	0	3	0	0	0	51

Wacker Drill Hole Data BWNBWK0001 - 17

HOLE_ID	SAMPLE_ID	from	to	ag	as	au	bi	cu	mn	mo	pb	sb	se	te	zn
NAK012	42177	33	34	0.2	0	0.01	0	158	0	0	3	0	0	0	31
NAK012	42178	34	35	0.2	0	0.01	0	211	0	0	3	0	0	0	37
NAK012	42179	35	36	0.2	0	0.01	0	175	0	0	4	0	0	0	45
NAK012	42180	36	37	0.2	0	0.01	0	165	0	0	3	0	0	0	47
NAK012	42181	37	38	0.2	0	0.01	0	26	0	0	2	0	0	0	50
NAK012	42182	38	39	0.3	0	0.01	0	278	0	0	4	0	0	0	46
NAK012	42183	39	40	0.2	0	0.01	0	102	0	0	4	0	0	0	53
NAK012	42184	40	41	0.2	0	0.01	0	52	0	0	2	0	0	0	73
NAK012	42185	41	42	0.2	0	0.01	0	63	0	0	3	0	0	0	66
NAK012	42186	42	43	0.2	0	0.01	0	254	0	0	4	0	0	0	51
NAK012	42187	43	44	0.2	0	0.01	0	39	0	0	2	0	0	0	31
NAK012	42188	44	45	0.2	0	0.01	0	29	0	0	2	0	0	0	38
NAK012	42189	45	46	0.3	0	0.01	0	3140	0	0	4	0	0	0	84
NAK012	42190	46	47	0.3	0	0.01	0	376	0	0	11	0	0	0	41
NAK012	42191	47	48	0.2	0	0.01	0	536	0	0	8	0	0	0	39
NAK012	42192	48	49	0.2	0	0.01	0	813	0	0	7	0	0	0	352
NAK012	42193	49	50	0.2	0	0.01	0	1060	0	0	3	0	0	0	526
NAK012	42194	50	51	0.3	0	0.01	0	1280	0	0	2	0	0	0	860
NAK012	42195	51	52	0.2	0	0.01	0	55	0	0	4	0	0	0	148
NAK012	42196	52	53	0.2	0	0.01	0	40	0	0	3	0	0	0	25
NAK012	42197	53	54	0.2	0	0.01	0	51	0	0	2	0	0	0	46
NAK012	42198	54	55	0.2	0	0.01	0	29	0	0	3	0	0	0	31
NAK012	42199	55	56	0.2	0	0.01	0	21	0	0	2	0	0	0	42
NAK012	42200	56	57	0.2	0	0.01	0	25	0	0	5	0	0	0	31
NAK012	42201	57	58	0.3	0	0.01	0	28	0	0	6	0	0	0	30
NAK012	42202	58	59	0.3	0	0.01	0	20	0	0	8	0	0	0	32
NAK012	42203	59	60	0.2	0	0.01	0	23	0	0	4	0	0	0	47
NAK012	42204	60	61	0.2	0	0.01	0	38	0	0	5	0	0	0	46
NAK012	42205	61	62	0.2	0	0.01	0	103	0	0	2	0	0	0	29
NAK012	42206	62	63	0.2	0	0.01	0	95	0	0	4	0	0	0	33

Wacker Drill Hole Data BWNBWK0001 - 17

HOLE_ID	SAMPLE_ID	from	to	ag	as	au	bi	cu	mn	mo	pb	sb	se	te	zn
NAK012	42207	63	64	0.2	0	0.01	0	27	0	0	4	0	0	0	18
NAK012	42208	64	65	0.2	0	0.01	0	15	0	0	3	0	0	0	24
NAK012	42209	65	66	0.2	0	0.01	0	14	0	0	4	0	0	0	17
NAK012	42210	66	67.5	0.2	0	0.01	0	37	0	0	4	0	0	0	10
NAK013	96061	0	1	0.1	159	0.12	0	483	0	37	19	0	0	7	24
NAK013	96062	1	2.7	0.1	58	0.07	0	584	0	22	14	0	0	6	12
NAK013	96063	2.7	3.7	0.1	17	0.03	0	122	0	9	15	0	0	5	9
NAK013	96064	3.7	4.3	0.1	85	0.06	0	333	0	46	26	0	0	5	25
NAK013	96065	4.3	5	0.4	94	0.03	0	1520	0	6	84	0	0	8	83
NAK013	96066	5	5.7	0.1	233	0.15	0	1290	0	63	37	0	0	7	26
NAK013	96067	5.7	6.4	0.1	116	0.1	0	1080	0	38	45	0	0	9	25
NAK013	96068	6.4	7.4	0.6	50	0.05	0	983	0	14	94	0	0	10	72
NAK013	96069	7.4	8	0.1	85	0.09	0	642	0	28	31	0	0	6	17
NAK013	96070	8	9	1.7	113	0.14	0	835	0	29	32	0	0	7	17
NAK013	96071	9	10	34.1	158	0.13	0	693	0	43	30	0	0	9	16
NAK013	96072	10	11	0.6	78	0.05	0	404	0	13	21	0	0	5	10
NAK013	96073	11	12	1.1	133	0.05	0	550	0	22	21	0	0	5	11
NAK013	96074	12	13	1	135	0.07	0	603	0	37	28	0	0	5	12
NAK013	96075	13	14	5.3	70	0.03	0	363	0	17	20	0	0	6	10
NAK013	96076	14	15	0.7	160	0.05	0	539	0	37	24	0	0	8	11
NAK013	96077	15	16	3.6	119	0.04	0	670	0	19	15	0	0	5	12
NAK013	96078	16	17	1.1	159	0.06	0	794	0	28	18	0	0	7	13
NAK013	96079	17	18	2.4	80	0.02	0	966	0	9	19	0	0	5	23
NAK013	96080	18	19	0.3	32	0.02	0	976	0	6	15	0	0	5	58
NAK013	96081	19	20	0.5	60	0.02	0	1200	0	6	19	0	0	5	61
NAK013	96082	20	22	1.5	102	0.05	0	7040	0	13	120	0	0	6	90
NAK013	96083	22	23	0.1	8	0	0	205	0	7	750	0	0	5	12
NAK013	96084	23	24	0.1	8	0	0	389	0	5	127	0	0	5	13
NAK013	96085	24	25	0.4	43	0.02	0	975	0	25	22	0	0	5	27
NAK013	96086	25	26	0.1	41	0.04	0	195	0	11	14	0	0	5	11

Wacker Drill Hole Data BWNBWK0001 - 17

HOLE_ID	SAMPLE_ID	from	to	ag	as	au	bi	cu	mn	mo	pb	sb	se	te	zn
NAK013	96087	26	27	0.1	44	0.04	0	138	0	14	11	0	0	5	7
NAK013	96088	27	28	0.1	38	0.05	0	198	0	12	14	0	0	5	8
NAK013	96089	28	29	0.1	26	0.02	0	370	0	8	15	0	0	5	10
NAK013	96090	29	30	0.1	34	0.04	0	407	0	16	21	0	0	8	12
NAK013	96091	30	31	0.2	41	0.05	0	415	0	36	22	0	0	13	16
NAK013	96092	31	32	0.2	46	0.08	0	711	0	88	24	0	0	18	27
NAK013	96093	32	33.8	0.1	32	0.04	0	450	0	24	24	0	0	14	16
NAK014	96095	0	1	0.6	1040	2.49	0	1780	0	151	188	0	0	12	344
NAK014	96096	1	2	0.8	1930	4.38	0	2270	0	393	274	0	0	16	438
NAK014	96097	2	3	10.1	1730	17.4	0	2320	0	359	394	0	0	22	359
NAK014	96098	3	4	8.5	2150	3.77	0	2390	0	688	576	0	0	37	345
NAK014	96099	4	5	0.7	730	0.79	0	1600	0	164	104	0	0	14	111
NAK014	96100	5	6	4	572	0.9	0	1440	0	151	101	0	0	13	80
NAK014	96101	6	7	0.4	369	0.41	0	1150	0	135	63	0	0	8	68
NAK014	96102	7	8	1.9	390	0.49	0	2110	0	93	58	0	0	8	64
NAK014	96103	8	9	0.3	138	0.3	0	1520	0	57	49	0	0	7	21
NAK014	96104	9	10	0.4	111	0.23	0	1360	0	51	53	0	0	8	20
NAK014	96105	10	11	6	122	0.12	0	1060	0	45	52	0	0	7	16
NAK014	96106	11	12	1.2	48	0.07	0	768	0	37	40	0	0	5	11
NAK014	96107	12	13	0.3	109	0.1	0	901	0	60	52	0	0	5	19
NAK014	96108	13	14	0.4	17	0.02	0	40	0	8	33	0	0	5	6
NAK014	96109	14	15	0.2	28	0.03	0	94	0	16	29	0	0	5	8
NAK014	96110	15	16	0.4	24	0.03	0	439	0	24	23	0	0	7	17
NAK014	96111	16	17	0.2	144	0.02	0	465	0	59	27	0	0	14	12
NAK014	96112	17	18	0.5	39	0.05	0	323	0	24	46	0	0	6	11
NAK014	96113	18	19	0.4	28	0.05	0	374	0	15	47	0	0	5	22
NAK014	96115	19	20	0.3	77	0.06	0	876	0	46	60	0	0	8	27
NAK014	96116	20	21	9.4	132	0.1	0	767	0	81	55	0	0	5	20
NAK014	96117	21	22	1	148	0.12	0	985	0	124	50	0	0	8	25
NAK014	96118	22	23	1.1	102	0.09	0	839	0	66	61	0	0	9	32

Wacker Drill Hole Data BWNBWK0001 - 17

HOLE_ID	SAMPLE_ID	from	to	ag	as	au	bi	cu	mn	mo	pb	sb	se	te	zn
NAK014	96119	23	24	0.1	90	0.01	0	55	0	10	40	0	0	5	29
NAK014	96120	24	25	0.1	73	0	0	70	0	12	57	0	0	5	29
NAK014	96121	25	26	0.2	16	0	0	243	0	1	18	0	0	5	97
NAK014	96122	26	27	2.6	53	0.04	0	366	0	22	24	0	0	5	53
NAK014	96123	27	28	0.1	16	0.02	0	170	0	7	16	0	0	5	30
NAK014	96124	28	29	0.2	11	0.02	0	216	0	19	14	0	0	5	29
NAK014	96125	29	30	0.4	10	0.01	0	159	0	5	13	0	0	5	28
NAK014	96126	30	31	0.5	9	0.01	0	86	0	6	17	0	0	5	37
NAK014	96127	31	32	0.6	15	0.01	0	72	0	5	15	0	0	5	19
NAK014	96128	32	33	0.4	30	0.02	0	128	0	7	21	0	0	5	18
NAK014	96129	33	34	0.4	26	0.02	0	150	0	8	19	0	0	6	17
NAK014	96130	34	35	0.5	25	0.02	0	174	0	6	18	0	0	7	16
NAK014	96131	35	36	1.7	35	0.03	0	115	0	7	20	0	0	7	18
NAK014	96132	36	37	21.5	53	0.05	0	227	0	118	18	0	0	10	14
NAK014	96133	37	38	2	42	0.02	0	174	0	12	18	0	0	7	19
NAK014	96135	38	39	17.1	22	0.02	0	98	0	10	20	0	0	5	17
NAK014	96136	39	40	0.7	15	0.02	0	58	0	4	18	0	0	5	13
NAK014	96137	40	41	0.6	12	0.01	0	132	0	8	14	0	0	5	13
NAK014	96138	41	42	0.5	13	0.02	0	114	0	4	10	0	0	5	10
NAK014	96139	42	43	0.8	10	0.02	0	57	0	4	13	0	0	5	9
NAK014	96140	43	44	0.7	17	0.02	0	167	0	9	17	0	0	5	12
NAK014	96141	44	45	0.4	18	0.02	0	153	0	5	14	0	0	5	8
NAK014	96142	45	46	1.2	31	0.02	0	334	0	6	16	0	0	6	12
NAK014	96143	46	47	0.5	30	0.03	0	164	0	5	15	0	0	5	9
NAK014	96144	47	48	0.6	46	0.03	0	332	0	7	20	0	0	7	11
NAK014	96145	48	49	1.7	47	0.05	0	942	0	8	29	0	0	25	21
NAK014	96146	49	50	30.9	122	0.08	0	959	0	10	31	0	0	47	18
NAK014	96147	50	51	14	125	0.07	0	589	0	19	24	0	0	31	12
NAK014	96148	51	52	19.7	191	0.08	0	875	0	18	30	0	0	6	38
NAK014	96149	52	53	9.7	82	0.06	0	549	0	15	22	0	0	8	14

Wacker Drill Hole Data BWNBWK0001 - 17

HOLE_ID	SAMPLE_ID	from	to	ag	as	au	bi	cu	mn	mo	pb	sb	se	te	zn
NAK014	96150	53	54	4	27	0.03	0	890	0	19	17	0	0	6	23
NAK014	96151	54	55.6	2	6	0.02	0	371	0	11	9	0	0	5	10
NAK015	96551	0	4	0.3	12	0.02	0	99	0	2	14	0	0	5	72
NAK015	96552	4	6	0.4	15	0.02	0	79	0	3	13	0	0	5	60
NAK015	96553	6	7	0.6	312	0.38	0	959	0	95	52	0	0	5	119
NAK015	96554	7	8	0.1	138	0.35	0	518	0	37	24	0	0	6	71
NAK015	96555	8	9	0.1	111	0.45	0	411	0	28	20	0	0	5	61
NAK015	96556	9	10	0.2	318	0.45	0	736	0	126	39	0	0	9	37
NAK015	96557	10	11	0.1	135	0.37	0	628	0	41	27	0	0	5	67
NAK015	96558	11	12	0.1	113	0.27	0	519	0	48	22	0	0	5	17
NAK015	96559	12	13	0.2	259	0.58	0	829	0	87	36	0	0	27	30
NAK015	96560	13	14	0.2	341	0.42	0	615	0	107	40	0	0	30	21
NAK015	96561	14	15	0.3	207	0.41	0	992	0	53	40	0	0	10	32
NAK015	96562	15	16	0.2	224	0.26	0	787	0	45	36	0	0	8	34
NAK015	96563	16	17	0.2	365	0.41	0	1220	0	64	46	0	0	12	36
NAK015	96564	17	18	0.2	254	0.27	0	967	0	54	27	0	0	5	27
NAK015	96565	18	19	0.2	253	0.19	0	857	0	48	32	0	0	5	26
NAK015	96566	19	20	0.3	255	0.4	0	1580	0	71	38	0	0	14	28
NAK015	96567	20	21	0.2	118	0.29	0	1400	0	96	33	0	0	7	66
NAK015	96568	21	22	0.5	209	0.25	0	1640	0	88	52	0	0	10	40
NAK015	96569	22	23	0.4	295	0.25	0	1560	0	225	41	0	0	174	55
NAK015	96571	23	24	0.4	235	0.8	0	1770	0	268	36	0	0	77	45
NAK015	96572	24	25	0.3	227	0.25	0	1410	0	105	129	0	0	10	34
NAK015	96573	25	26	0.1	26	0.02	0	75	0	8	45	0	0	5	125
NAK015	96574	26	27	0.1	11	0.01	0	134	0	1	15	0	0	5	98
NAK015	96575	27	28	0.4	268	0.23	0	1420	0	81	44	0	0	6	34
NAK015	96576	28	29.6	0.3	338	0.13	0	1220	0	89	38	0	0	5	65
NAK015	96577	29.6	31	0.1	28	0.03	0	180	0	17	39	0	0	5	19
NAK015	96578	31	32	0.1	4	0.01	0	138	0	2	20	0	0	5	36
NAK015	96579	32	33	0.2	5	0.01	0	127	0	1	28	0	0	5	43

Wacker Drill Hole Data BWNBWK0001 - 17

HOLE_ID	SAMPLE_ID	from	to	ag	as	au	bi	cu	mn	mo	pb	sb	se	te	zn
NAK015	96580	33	34	2.1	2	0	0	122	0	1	18	0	0	5	37
NAK015	96581	34	35	3.2	2	0.01	0	212	0	1	13	0	0	5	55
NAK015	96582	35	36	0.2	31	0.03	0	349	0	9	21	0	0	5	97
NAK015	96583	36	37	0.2	40	0.04	0	574	0	16	21	0	0	6	15
NAK015	96584	37	38	1.5	19	0.04	0	969	0	9	15	0	0	6	15
NAK015	96585	38	39	1.5	20	0.02	0	251	0	15	14	0	0	5	7
NAK015	96586	39	40	0.7	9	0.02	0	266	0	16	15	0	0	5	7
NAK015	96587	40	41	0.1	5	0	0	283	0	2	20	0	0	5	190
NAK015	96588	41	42	2.4	43	0.04	0	826	0	12	13	0	0	5	38
NAK015	96589	42	43	0.5	84	0.07	0	3980	0	21	17	0	0	10	31
NAK015	96591	43	44	1	33	0.05	0	678	0	7	16	0	0	18	26
NAK015	96592	44	45	0.5	12	0.07	0	1400	0	8	16	0	0	12	30
NAK015	96593	45	46	1.8	26	0.07	0	488	0	11	18	0	0	12	11
NAK015	96594	46	47	0.4	10	0.03	0	479	0	7	14	0	0	7	11
NAK015	96595	47	48	0.2	12	0.02	0	451	0	9	12	0	0	5	12
NAK015	96596	48	49	0.4	9	0.05	0	394	0	9	12	0	0	12	11
NAK015	96597	49	50	0.2	7	0.04	0	506	0	9	12	0	0	9	13
NAK015	96598	50	51	0.2	8	0.03	0	346	0	9	13	0	0	6	11
NAK015	96599	51	52	0.2	4	0.02	0	229	0	3	5	0	0	5	39
NAK015	96600	52	53	0.1	2	0	0	641	0	1	4	0	0	5	126
NAK015	96601	53	54	0.2	2	0	0	1730	0	1	4	0	0	5	595
NAK015	96602	54	55	0.2	2	0	0	417	0	1	7	0	0	5	1060
NAK015	96603	55	55.9	0.2	2	0	0	6	0	1	7	0	0	5	417
NAK016	96604	0	2	2	37	0.29	0	473	0	1	127	0	0	5	134
NAK016	96605	2	3	3.1	509	0.79	0	1840	0	74	452	0	0	7	1050
NAK016	96606	3	4.5	6.5	633	1.54	0	1090	0	158	277	0	0	14	473
NAK016	96607	4.5	6	2.4	267	0.6	0	651	0	60	359	0	0	8	355
NAK016	96608	6	7	1.7	426	0.82	0	1440	0	121	175	0	0	11	265
NAK016	96609	7	8	2.2	469	0.86	0	2350	0	165	158	0	0	7	450
NAK016	96610	8	10	4.6	343	1.37	0	2400	0	109	119	0	0	16	986

Wacker Drill Hole Data BWNBWK0001 - 17

HOLE_ID	SAMPLE_ID	from	to	ag	as	au	bi	cu	mn	mo	pb	sb	se	te	zn
NAK016	96611	10	12	1	574	0.17	0	1430	0	139	139	0	0	19	1090
NAK016	96612	12	13	2.4	64	0.06	0	557	0	31	37	0	0	9	58
NAK016	96613	13	14	0.8	43	0.08	0	501	0	33	19	0	0	63	20
NAK016	96614	14	15	0.4	81	0.12	0	482	0	129	17	0	0	5	17
NAK016	96615	15	16	6.1	38	0.07	0	162	0	28	16	0	0	5	8
NAK016	96616	16	17	0.4	78	0.11	0	521	0	48	20	0	0	5	14
NAK016	96617	17	18	0.4	54	0.05	0	186	0	19	22	0	0	5	23
NAK016	96618	18	20	0.1	67	0.05	0	156	0	23	26	0	0	5	60
NAK016	96619	20	21	0.1	12	0.02	0	45	0	2	8	0	0	5	17
NAK016	96620	21	22.5	0.9	62	0.03	0	234	0	34	101	0	0	5	55
NAK016	96621	22.5	24	1	50	0.04	0	255	0	26	50	0	0	5	39
NAK016	96622	24	25	0.6	20	0.02	0	106	0	3	25	0	0	5	59
NAK016	96624	25	26	1.8	41	0.05	0	164	0	10	35	0	0	5	17
NAK016	96625	26	27	4	65	0.07	0	242	0	17	35	0	0	5	20
NAK016	96626	27	28.5	0.6	89	0.02	0	128	0	15	35	0	0	5	75
NAK016	96627	28.5	30	0.5	30	0.02	0	116	0	6	33	0	0	5	11
NAK016	96628	30	31	0.1	13	0.02	0	86	0	3	21	0	0	5	9
NAK016	96629	31	32	0.2	14	0.01	0	63	0	6	28	0	0	5	10
NAK016	96630	32	33	0.2	32	0.03	0	237	0	12	27	0	0	5	11
NAK016	96631	33	34	0.3	27	0.03	0	167	0	4	25	0	0	5	7
NAK016	96632	34	35	0.4	23	0.03	0	137	0	5	20	0	0	5	6
NAK016	96633	35	36	0.4	26	0.02	0	153	0	5	28	0	0	5	6
NAK016	96634	36	37	14.5	23	0.03	0	75	0	10	27	0	0	5	5
NAK016	96635	37	38	1	80	0.05	0	478	0	15	63	0	0	5	21
NAK016	96636	38	39	2.5	33	0.03	0	130	0	8	41	0	0	5	7
NAK016	96637	39	40	0.3	23	0.02	0	81	0	12	57	0	0	5	7
NAK016	96638	40	41	0.7	30	0.04	0	153	0	14	25	0	0	5	7
NAK016	96639	41	42	4.2	21	0.04	0	110	0	13	21	0	0	5	7
NAK016	96640	42	43	0.2	21	0.04	0	118	0	31	26	0	0	5	7
NAK016	96641	43	44	9.9	31	0.06	0	711	0	24	27	0	0	5	18

Wacker Drill Hole Data BWNBWK0001 - 17

HOLE_ID	SAMPLE_ID	from	to	ag	as	au	bi	cu	mn	mo	pb	sb	se	te	zn
NAK016	96642	44	45	0.6	28	0.05	0	224	0	25	34	0	0	5	10
NAK016	96644	45	46	0.1	2	0	0	121	0	1	7	0	0	5	84
NAK016	96645	46	47	0.1	2	0	0	450	0	1	5	0	0	5	102
NAK016	96646	47	48	0.2	2	0	0	438	0	1	14	0	0	5	38
NAK016	96647	48	49	0.2	5	0	0	432	0	1	13	0	0	5	44
NAK016	96648	49	50	0.2	4	0	0	236	0	1	15	0	0	5	46
NAK016	96649	50	51.4	0.1	2	0	0	794	0	1	13	0	0	5	78
NAK017	96650	0	1	0.6	72	0.08	0	183	0	33	24	0	0	5	52
NAK017	96651	1	2	117	385	0.21	0	909	0	240	79	0	0	19	63
NAK017	96652	2	4	5.4	212	0.27	0	952	0	148	77	0	0	7	73
NAK017	96653	4	5	1.7	282	0.16	0	899	0	243	75	0	0	8	91
NAK017	96654	5	7	1.3	174	0.21	0	741	0	94	50	0	0	10	53
NAK017	96655	7	8	0.3	62	0.15	0	838	0	33	45	0	0	16	15
NAK017	96656	8	9	0.3	56	0.58	0	862	0	23	49	0	0	19	13
NAK017	96657	9	10	0.2	20	0.05	0	308	0	26	45	0	0	10	7
NAK017	96658	10	11	0.2	34	0.06	0	345	0	11	32	0	0	8	38
NAK017	96659	11	12	0.2	36	0.14	0	291	0	13	20	0	0	8	41
NAK017	96660	12	13	0.2	72	0.12	0	454	0	49	20	0	0	13	11
NAK017	96661	13	14	1.2	115	0.87	0	1120	0	97	35	0	0	33	16
NAK017	96662	14	16	0.9	32	0.07	0	539	0	21	37	0	0	5	86
NAK017	96663	16	18	22	199	0.26	0	1190	0	90	40	0	0	15	95
NAK017	96664	18	19	15.3	125	0.27	0	1330	0	49	12	0	0	13	25
NAK017	96665	19	21	13.8	132	0.39	0	827	0	52	13	0	0	14	28
NAK017	96666	21	22	20.4	128	0.25	0	583	0	48	17	0	0	6	19
NAK017	96667	22	23	2.1	92	0.32	0	1000	0	37	22	0	0	9	23
NAK017	96668	23	23.6	6	62	0.09	0	926	0	14	19	0	0	5	156
NAK017	96670	23.6	25	2	8	0.03	0	1390	0	4	11	0	0	5	475
NAK017	96671	25	25.7	1.9	7	0.01	0	1240	0	1	6	0	0	5	1160
NAK017	96672	25.7	27	4.3	132	0.18	0	883	0	39	15	0	0	9	94
NAK017	96673	27	28	6	113	0.16	0	757	0	43	11	0	0	8	19

Wacker Drill Hole Data BWNBWK0001 - 17

HOLE_ID	SAMPLE_ID	from	to	ag	as	au	bi	cu	mn	mo	pb	sb	se	te	zn
NAK017	96674	28	29	10.3	128	0.26	0	582	0	47	11	0	0	13	12
NAK017	96675	29	31	23.1	31	0.78	0	305	0	14	6	0	0	5	9
NAK017	96676	31	32	14.6	32	0.39	0	543	0	20	8	0	0	5	16
NAK017	96677	32	33	8.7	282	0.22	0	633	0	86	12	0	0	42	23
NAK017	96678	33	34	1.8	214	0.11	0	539	0	85	10	0	0	37	10
NAK017	96679	34	35	2.6	58	0.1	0	512	0	27	7	0	0	8	11
NAK017	96680	35	36	1.9	162	0.12	0	644	0	47	12	0	0	12	12
NAK017	96681	36	37	2.6	142	0.1	0	474	0	51	13	0	0	9	12
NAK017	96682	37	38	1.9	127	0.11	0	572	0	56	14	0	0	7	16
NAK017	96683	38	39	0.6	145	0.11	0	378	0	54	19	0	0	5	13
NAK017	96684	39	40	1.6	293	0.14	0	775	0	95	32	0	0	7	20
NAK017	96685	40	41	0.6	227	0.18	0	1020	0	94	26	0	0	9	25
NAK017	96686	41	42	1.4	183	0.36	0	877	0	94	14	0	0	13	15
NAK017	96687	42	43	1	96	0.15	0	524	0	64	8	0	0	9	12
NAK017	96688	43	44	4.6	148	0.4	0	656	0	95	11	0	0	20	12
NAK017	96690	44	45	2	48	1.59	0	510	0	37	6	0	0	14	10
NAK017	96691	45	46	3.5	81	0.23	0	744	0	69	8	0	0	9	13
NAK017	96692	46	47	4.7	75	0.26	0	564	0	67	10	0	0	12	12
NAK017	96693	47	48	2.1	42	0.15	0	221	0	32	8	0	0	6	7
NAK017	96694	48	50	3.2	60	0.65	0	352	0	42	7	0	0	11	8
NAK017	96695	50	51	1.3	173	0.21	0	895	0	86	27	0	0	56	16
NAK017	96696	51	52	1	145	0.12	0	773	0	93	21	0	0	68	13
NAK017	96697	52	53	1.7	36	0.09	0	642	0	28	20	0	0	15	13
NAK017	96698	53	54	1	74	0.14	0	693	0	43	19	0	0	46	15
NAK017	96699	54	55	1.4	26	1.93	0	333	0	68	9	0	0	14	9
NAK017	96700	55	56	1.4	56	1.34	0	587	0	131	19	0	0	45	10
NAK017	96701	56	57	2.2	44	0.64	0	689	0	146	17	0	0	14	13
NAK017	96702	57	58	3.7	98	0.8	0	864	0	157	15	0	0	31	13
NAK017	96703	58	59	1.8	78	0.16	0	912	0	68	18	0	0	15	11
NAK017	96704	59	60	4.1	75	0.17	0	856	0	65	15	0	0	8	11

Wacker Drill Hole Data BWNBWK0001 - 17

HOLE_ID	SAMPLE_ID	from	to	ag	as	au	bi	cu	mn	mo	pb	sb	se	te	zn
NAK017	96705	60	61.2	14.7	50	0.09	0	722	0	40	18	0	0	7	9
NAK017	96706	61.2	62	52.1	54	0.1	0	10000	0	39	16	0	0	10	385
NAK017	96707	62	63	1.2	35	0.15	0	10000	0	32	13	0	0	12	816
NAK017	96708	63	64	2.3	42	0.84	0	10000	0	26	19	0	0	32	279
NAK017	96710	64	65	2.7	55	0.51	0	10000	0	134	34	0	0	30	625
NAK017	96711	65	66	0.6	36	0.1	0	6740	0	32	27	0	0	11	490
NAK017	96712	66	67	0.6	32	0.08	0	7470	0	31	24	0	0	6	618
NAK017	96713	67	68	2.3	30	0.63	0	10000	0	35	33	0	0	27	4330
NAK017	96714	68	69	3	44	1.05	0	10000	0	27	28	0	0	29	7050
NAK017	96715	69	70	2.9	61	0.5	0	10000	0	42	32	0	0	18	4850
NAK017	96716	70	71	2.4	26	0.28	0	6260	0	24	21	0	0	18	3230
NAK017	96717	71	72	1.2	46	0.13	0	6420	0	34	19	0	0	8	1820
NAK017	96718	72	73	1.1	35	0.14	0	6980	0	43	16	0	0	7	2890
NAK017	96719	73	74	0.9	53	0.11	0	6510	0	58	19	0	0	6	1810
NAK017	96720	74	75	1.5	70	0.21	0	10000	0	63	34	0	0	7	1880
NAK017	96721	75	76	1.7	72	0.37	0	10000	0	44	30	0	0	10	3770
NAK017	96722	76	77	1.4	55	0.27	0	10000	0	44	29	0	0	8	2500
NAK017	96723	77	78	0.8	35	0.15	0	5560	0	28	18	0	0	6	1710
NAK017	96724	78	79	0.8	28	0.21	0	4320	0	18	14	0	0	7	2790
NAK017	96725	79	80	1.9	41	0.36	0	10000	0	35	27	0	0	18	2230
NAK017	96726	80	81	0.9	17	0.46	0	3610	0	14	14	0	0	15	450
NAK017	96727	81	82	1.6	42	0.25	0	10000	0	31	21	0	0	11	2210
NAK017	96728	82	83	0.6	23	0.17	0	3260	0	14	11	0	0	9	644
NAK017	96730	83	84	2	32	0.24	0	8270	0	21	20	0	0	19	1690
NAK017	96731	84	84.65	0.9	15	0.2	0	3630	0	8	11	0	0	12	395
NAK017	96732	84.65	86	0.4	11	0.04	0	1840	0	7	12	0	0	5	230
NAK017	96733	86	86.7	3.2	42	0.25	0	4790	0	21	57	0	0	17	1820
NAK017	96734	86.7	88	0.1	6	0	0	110	0	2	2	0	0	5	258
NAK017	96735	88	89	1.2	42	0.1	0	6980	0	20	56	0	0	7	3710
NAK017	96736	89	89.6	0.9	19	0.09	0	5500	0	11	12	0	0	6	850

Wacker Drill Hole Data BWNBWK0001 - 17

HOLE_ID	SAMPLE_ID	from	to	ag	as	au	bi	cu	mn	mo	pb	sb	se	te	zn
NAK017	96737	89.6	90.85	0.1	2	0	0	123	0	1	8	0	0	5	179
NAK017	96738	90.85	92.3	0.1	2	0	0	42	0	1	4	0	0	5	1470
NAK017	96739	92.3	93	0.6	11	0.06	0	2190	0	5	7	0	0	5	533
NAK017	96740	93	94	0.5	33	0.06	0	3030	0	14	11	0	0	5	429
NAK017	96741	94	95	1.4	31	0.09	0	9630	0	22	18	0	0	5	3920
NAK017	96742	95	96	0.5	24	0.07	0	1970	0	13	11	0	0	5	2130
NAK017	96743	96	97	9	48	1.19	0	7530	0	21	100	0	0	78	2640
NAK017	96744	97	98	8.1	56	1.43	0	10000	0	14	62	0	0	60	7830
NAK017	96745	98	99	13.7	16	2.47	0	10000	0	13	85	0	0	82	844
NAK017	96746	99	100.5	2.8	84	0.33	0	10000	0	19	32	0	0	14	1730
NAK017	96747	100.5	101	0.4	11	0.06	0	3240	0	10	7	0	0	5	198
NAK017	96748	101	102	0.3	25	0.04	0	705	0	20	11	0	0	5	205
NAK017	96750	102	103	0.3	17	0.05	0	604	0	10	6	0	0	5	174
NAK017	96751	103	103.7	1	88	0.12	0	3890	0	30	24	0	0	5	261
NAK017	96752	103.7	105	0.2	2	0	0	210	0	1	5	0	0	5	509
NAK017	96753	105	106	0.1	2	0	0	66	0	1	7	0	0	5	847
NAK017	96754	106	107	0.6	32	0.07	0	2500	0	12	13	0	0	5	2100
NAK017	96755	107	108	1.1	41	0.1	0	4290	0	16	17	0	0	11	2020
NAK017	96756	108	109	0.8	30	0.08	0	3100	0	15	15	0	0	5	705
NAK017	96757	109	110	0.8	31	0.07	0	2650	0	13	13	0	0	5	597
NAK017	96758	110	111	0.8	28	0.07	0	2830	0	10	16	0	0	7	658
NAK017	96759	111	112	0.9	27	0.08	0	3970	0	10	13	0	0	6	646
NAK017	96760	112	113	0.5	41	0.07	0	1030	0	19	22	0	0	5	564
NAK017	96761	113	114	19.1	78	2.29	0	10000	0	20	132	0	0	164	1820
NAK017	96762	114	115	4.1	26	0.4	0	10000	0	8	33	0	0	34	2550
NAK017	96763	115	116	2.4	18	0.33	0	6130	0	7	26	0	0	28	692
NAK017	96764	116	117	1	15	0.1	0	3690	0	6	11	0	0	6	1890
NAK017	96765	117	118	0.2	9	0.03	0	358	0	1	9	0	0	5	581
NAK017	96766	118	119	0.1	3	0	0	5	0	2	3	0	0	5	456
NAK017	96767	119	120	0.1	3	0	0	11	0	1	3	0	0	5	599

Wacker Drill Hole Data BWNBWK0001 - 17

HOLE_ID	SAMPLE_ID	from	to	ag	as	au	bi	cu	mn	mo	pb	sb	se	te	zn
NAK017	96768	120	120.7	0.6	4	0.03	0	990	0	1	7	0	0	5	1310
NAK017	96770	120.7	122	34.8	26	8.33	0	10000	0	6	225	0	0	334	847
NAK017	96771	122	123	2.2	11	0.19	0	2550	0	7	56	0	0	55	389
NAK017	96772	123	124	4.8	10	0.26	0	1740	0	7	65	0	0	63	222
NAK017	96773	124	125	8.1	13	0.26	0	5660	0	8	47	0	0	41	2690
NAK017	96774	125	126	10.1	35	0.38	0	10000	0	15	130	0	0	107	2050
NAK017	96775	126	127	5.8	20	0.28	0	10000	0	12	24	0	0	21	1360
NAK017	96776	127	128	1.2	19	0.1	0	4440	0	17	14	0	0	6	960
NAK017	96777	128	129	0.5	14	0.05	0	1910	0	10	9	0	0	5	453
NAK017	96778	129	130	0.6	10	0.05	0	2830	0	9	9	0	0	5	723
NAK017	96779	130	131	0.9	18	0.14	0	3100	0	11	12	0	0	11	5180
NAK017	96780	131	132	2.6	21	0.34	0	6350	0	15	20	0	0	62	889
NAK017	96781	132	133	0.7	19	0.07	0	3470	0	19	13	0	0	5	1140
NAK017	96782	133	134	0.7	10	0.05	0	5480	0	13	10	0	0	5	1680
NAK017	96783	134	135	0.8	26	0.06	0	5220	0	22	16	0	0	5	3490
NAK017	96784	135	136	0.5	13	0.03	0	1270	0	9	8	0	0	5	1910
NAK017	96785	136	137	0.5	14	0.05	0	2550	0	10	11	0	0	5	5120
NAK017	96786	137	138	0.6	22	0.06	0	2500	0	12	14	0	0	5	5640
NAK017	96787	138	139	0.6	21	0.05	0	4460	0	18	14	0	0	5	692
NAK017	96788	139	140.25	0.3	18	0.04	0	944	0	14	10	0	0	5	160
NAK017	96790	140.25	141	0.2	2	0.02	0	342	0	1	4	0	0	5	519
NAK017	96791	141	142.2	0.4	22	0.05	0	1470	0	16	12	0	0	5	139
NAK017	96792	142.2	143.4	0.3	4	0.01	0	107	0	3	7	0	0	5	3620
NAK017	96793	143.4	144	1	51	0.11	0	7660	0	32	24	0	0	5	983
NAK017	96794	144	145	1.2	42	0.08	0	8300	0	28	20	0	0	5	857
NAK017	96795	145	146	0.8	37	0.06	0	5720	0	24	18	0	0	5	490
NAK017	96796	146	147	1.5	55	0.07	0	10000	0	47	25	0	0	5	1220
NAK017	96797	147	148	0.5	39	0.05	0	2130	0	24	17	0	0	5	576
NAK017	96798	148	149	0.3	18	0.03	0	1810	0	12	12	0	0	5	361
NAK017	96799	149	150	0.1	7	0.02	0	116	0	7	5	0	0	5	361

Wacker Drill Hole Data BWNBWK0001 - 17

HOLE_ID	SAMPLE_ID	from	to	ag	as	au	bi	cu	mn	mo	pb	sb	se	te	zn
NAK017	96800	150	151	0.5	30	0.16	0	1940	0	24	15	0	0	5	403
NAK017	96801	151	152	1	55	0.1	0	4250	0	49	25	0	0	5	746
NAK017	96802	152	153	0.8	33	0.07	0	4490	0	36	17	0	0	5	665
NAK017	96803	153	154	0.5	31	0.06	0	3080	0	31	17	0	0	5	387
NAK017	96804	154	155	0.2	23	0.06	0	815	0	16	12	0	0	5	185
NAK017	96805	155	156	0.7	26	0.07	0	4760	0	21	16	0	0	5	494
NAK017	96806	156	157	0.3	25	0.04	0	384	0	22	12	0	0	5	112
NAK017	96807	157	158	0.2	9	0.03	0	359	0	14	7	0	0	5	147
NAK017	96808	158	159	0.5	40	0.08	0	1040	0	19	22	0	0	5	590
NAK017	96810	159	160	0.3	18	0.03	0	1180	0	13	11	0	0	5	654
NAK017	96811	160	161	0.5	34	0.06	0	2130	0	15	18	0	0	5	239
NAK017	96812	161	162	0.2	9	0.03	0	274	0	7	8	0	0	5	115
NAK017	96813	162	163	0.3	13	0.04	0	1340	0	12	11	0	0	5	126
NAK017	96814	163	164	0.4	25	0.04	0	1530	0	20	7	0	0	5	113
NAK017	96815	164	165	0.7	21	0.04	0	4320	0	22	13	0	0	5	298
NAK017	96816	165	166	0.7	8	0.02	0	4570	0	15	8	0	0	5	419
NAK017	96817	166	166.7	0.2	5	0.02	0	1130	0	15	7	0	0	5	164
NAK017	96818	166.7	167.6	0.2	2	0	0	97	0	1	5	0	0	5	1010
NAK017	96819	167.6	169	0.2	8	0.05	0	1240	0	12	7	0	0	5	205
NAK017	96820	169	169.4	0.3	19	0.04	0	1820	0	15	13	0	0	5	388
NAK017	96821	169.4	171	0.1	2	0	0	9	0	1	3	0	0	5	649
NAK017	96822	171	172	0.1	2	0	0	11	0	1	2	0	0	5	744
NAK017	96823	172	173	0.1	2	0	0	1	0	1	3	0	0	5	1140
NAK017	96824	173	174	0.1	2	0	0	6	0	1	2	0	0	5	1620
NAK017	96825	174	174.6	0.2	2	0	0	51	0	1	6	0	0	5	2670
NAK017	96826	174.6	176	0.7	16	0.05	0	4630	0	17	11	0	0	10	552
NAK017	96827	176	177	0.7	15	0.05	0	3690	0	18	13	0	0	5	505
NAK017	96828	177	178	0.6	14	0.06	0	4400	0	22	14	0	0	8	458
NAK017	96830	178	179	0.6	16	0.06	0	1460	0	11	14	0	0	14	1460
NAK017	96831	179	180.5	2.9	19	0.15	0	5950	0	18	24	0	0	20	3240

Wacker Drill Hole Data BWNBWK0001 - 17

HOLE_ID	SAMPLE_ID	from	to	ag	as	au	bi	cu	mn	mo	pb	sb	se	te	zn
NAK017	96832	180.5	180.9	0.2	2	0	0	126	0	1	4	0	0	5	2260
NAK017	96833	180.9	182	0.6	23	0.11	0	3070	0	14	23	0	0	7	875
NAK017	96834	182	183	0.9	17	0.1	0	3700	0	13	22	0	0	8	764
NAK017	96835	183	184	0.6	20	0.08	0	5170	0	16	16	0	0	6	375
NAK017	96836	184	185	1	7	0.1	0	1910	0	17	19	0	0	15	184
NAK017	96837	185	186	0.6	19	0.07	0	2950	0	19	16	0	0	9	247
NAK017	96838	186	187	0.7	22	0.08	0	4090	0	19	18	0	0	12	339
NAK017	96839	187	188	0.7	20	0.08	0	2840	0	20	20	0	0	7	265
NAK017	96840	188	189	0.8	47	0.08	0	2730	0	21	35	0	0	7	216
NAK017	96841	189	190	0.8	55	0.06	0	4350	0	20	30	0	0	5	153
NAK017	96842	190	191	0.3	28	0.04	0	1830	0	11	15	0	0	5	242
NAK017	96843	191	192	0.4	27	0.04	0	1940	0	18	16	0	0	5	139
NAK017	96844	192	193	0.4	39	0.03	0	1350	0	15	16	0	0	5	1090
NAK017	96845	193	194	0.8	35	0.06	0	2910	0	18	21	0	0	6	3450
NAK017	96846	194	195	0.3	12	0.04	0	2240	0	10	12	0	0	5	173
NAK017	96847	195	195.75	0.3	38	0.05	0	944	0	22	14	0	0	5	594
NAK017	96848	195.75	197	0.2	2	0	0	39	0	1	3	0	0	5	2320
NAK017	96850	197	198	0.1	2	0	0	84	0	1	6	0	0	5	2050
NAK017	96851	198	199	0.2	14	0.04	0	114	0	8	9	0	0	5	125
NAK017	96852	199	200	0.3	28	0.04	0	706	0	11	15	0	0	5	197
NAK017	96853	200	201	0.3	22	0.03	0	515	0	17	13	0	0	5	262
NAK017	96854	201	202	0.2	24	0.03	0	222	0	11	13	0	0	5	167
NAK017	96855	202	202.9	0.3	16	0.04	0	1350	0	10	19	0	0	5	335
NAK017	96856	202.9	204.4	0.1	2	0	0	23	0	1	4	0	0	5	1690
NAK017	96857	204.4	205	1.2	43	0.06	0	1940	0	11	31	0	0	12	707
NAK017	96858	205	206	0.2	29	0.03	0	353	0	12	12	0	0	5	549
NAK017	96859	206	207	1.2	89	0.1	0	1550	0	17	48	0	0	10	722
NAK017	96860	207	208	0.6	62	0.05	0	1190	0	19	31	0	0	5	604
NAK017	96861	208	209	0.4	51	0.04	0	1370	0	15	25	0	0	6	329
NAK017	96862	209	210	0.4	54	0.03	0	761	0	14	20	0	0	5	224

Wacker Drill Hole Data BWNBWK0001 - 17

HOLE_ID	SAMPLE_ID	from	to	ag	as	au	bi	cu	mn	mo	pb	sb	se	te	zn
NAK017	96863	210	211	0.2	41	0.03	0	560	0	15	17	0	0	5	122
NAK017	96864	211	212.4	0.8	80	0.07	0	939	0	17	33	0	0	9	368
NAK017	96865	212.4	213.2	0.6	43	0.03	0	2730	0	12	23	0	0	6	401
NAK017	96866	213.2	214	1.7	85	0.06	0	3880	0	36	36	0	0	7	385
NAK017	96867	214	215	3.2	60	0.06	0	7760	0	18	34	0	0	7	468
NAK017	96868	215	216.6	1.1	41	0.04	0	3930	0	15	28	0	0	5	437
NAK017	96870	216.6	217	0.4	9	0.02	0	666	0	4	11	0	0	5	3770
NAK017	96871	217	218	0.1	5	0.01	0	151	0	3	6	0	0	5	301
NAK017	96872	218	218.8	0.1	3	0.02	0	534	0	3	4	0	0	5	3550
NAK017	96873	218.8	219.5	0.1	2	0	0	28	0	2	4	0	0	5	286
NAK017	96874	219.5	221	0.1	2	0	0	74	0	1	3	0	0	5	517
NAK017	96875	221	222	0.1	2	0.01	0	73	0	1	3	0	0	5	513
NAK017	96876	222	223.1	0.1	2	0	0	94	0	1	3	0	0	5	505
NAK017	96877	223.1	224	0.1	2	0	0	4	0	3	2	0	0	5	142
NAK017	96878	224	225	0.1	2	0	0	4	0	2	2	0	0	5	168
NAK017	96879	225	226	0.1	2	0.01	0	3	0	2	2	0	0	5	204
NAK017	96880	226	227	0.1	9	0.02	0	5	0	5	2	0	0	5	240
NAK017	96881	227	228	0.1	4	0	0	136	0	3	2	0	0	5	273
NAK017	96882	228	229	0.1	3	0	0	107	0	2	2	0	0	5	3370
NAK017	96883	229	229.5	2.1	16	0.14	0	5660	0	10	18	0	0	9	10000
NAK017	96884	229.5	230.75	0.3	11	0.01	0	125	0	1	7	0	0	5	1030
NAK017	96885	230.75	232	0.9	27	0.03	0	1170	0	13	13	0	0	10	1050
NAK017	96886	232	233	1.3	19	0.03	0	5030	0	11	19	0	0	11	243
NAK017	96888	233	234	6.8	73	0.12	0	10000	0	16	55	0	0	49	1740
NAK017	96890	234	235.3	7.8	129	0.11	0	10000	0	20	47	0	0	119	1500
NAK017	96891	235.3	236.2	0.3	4	0	0	185	0	1	6	0	0	5	1290
NAK017	96892	236.2	238.2	1.6	11	0.03	0	2820	0	8	11	0	0	14	1380
NAK017	96893	238.2	239	0.2	2	0	0	85	0	1	2	0	0	5	395
NAK017	96894	239	240	0.2	2	0	0	61	0	1	2	0	0	5	407
NAK017	96895	240	241	0.1	2	0	0	66	0	1	2	0	0	5	238

Wacker Drill Hole Data BWNBWK0001 - 17

HOLE_ID	SAMPLE_ID	from	to	ag	as	au	bi	cu	mn	mo	pb	sb	se	te	zn
NAK017	96896	241	242	0.2	2	0	0	70	0	1	4	0	0	5	519
NAK017	96897	242	243	0.1	2	0	0	106	0	1	2	0	0	5	392
NAK017	96898	243	243.83	0.2	2	0	0	66	0	1	2	0	0	5	171
NAK017	96899	243.83	245	0.6	10	0.13	0	3060	0	7	7	0	0	5	131
NAK017	96900	245	246	0.4	6	0.02	0	1910	0	6	6	0	0	5	106
NAK017	96901	246	247	1.6	8	0.03	0	1790	0	5	12	0	0	34	260
NAK017	96902	247	248	0.7	11	0.01	0	1240	0	6	11	0	0	5	532
NAK017	96903	248	249	1	11	0.02	0	4220	0	8	21	0	0	23	1040
NAK017	96904	249	250	0.4	14	0.02	0	819	0	6	11	0	0	5	605
NAK017	96905	250	251	6.8	12	0.05	0	10000	0	9	49	0	0	311	1140
NAK017	96906	251	252	2.3	8	0.02	0	5640	0	6	15	0	0	137	801
NAK017	96907	252	253	1.8	15	0.02	0	3650	0	9	13	0	0	73	232
NAK017	96908	253	254	1	8	0.03	0	2590	0	7	13	0	0	13	473
NAK017	96910	254	255	0.3	10	0.02	0	1320	0	6	9	0	0	5	197
NAK017	96911	255	256	1.2	11	0.03	0	4550	0	8	14	0	0	6	1610
NAK017	96912	256	257	1.8	17	0.04	0	6410	0	11	26	0	0	84	526
NAK017	96913	257	258	0.4	7	0.03	0	1700	0	6	9	0	0	8	295
NAK017	96914	258	259	0.2	5	0.01	0	1010	0	3	6	0	0	6	177
NAK017	96915	259	260	0.3	11	0.03	0	1250	0	5	8	0	0	14	55
NAK017	96916	260	261	0.2	5	0.03	0	1670	0	4	6	0	0	8	67
NAK017	96917	261	262	0.4	9	0.02	0	2750	0	8	11	0	0	19	58
NAK017	96918	262	263	0.5	8	0.02	0	2160	0	9	9	0	0	26	93
NAK017	96919	263	264	0.2	4	0	0	1070	0	7	7	0	0	18	55
NAK017	96920	264	265	0.4	8	0.03	0	1160	0	7	9	0	0	57	66
NAK017	96921	265	266	1.1	6	0.03	0	6150	0	9	19	0	0	72	73
NAK017	96922	266	267	0.3	3	0.03	0	3050	0	7	11	0	0	26	61
NAK017	96923	267	268	0.4	5	0.05	0	5110	0	6	9	0	0	9	115
NAK017	96924	268	268.85	1.3	17	0.05	0	9440	0	17	20	0	0	54	120
NAK017	96925	268.85	270.15	0.1	2	0	0	148	0	1	3	0	0	5	170
NAK017	96926	270.15	271.3	0.9	13	0.04	0	5260	0	5	10	0	0	7	421

Wacker Drill Hole Data BWNBWK0001 - 17

HOLE_ID	SAMPLE_ID	from	to	ag	as	au	bi	cu	mn	mo	pb	sb	se	te	zn
NAK017	96927	271.3	272.6	0.2	4	0	0	58	0	1	6	0	0	5	268
NAK2001	101000	0	2	0.2	4	0.01	0	63	0	1	21	0	0	4	62
NAK2001	101001	2	3	0.3	3	0.001	0	77	0	0.1	21	0	0	4	70
NAK2001	101002	3	4	0.2	3	0.001	0	78	0	0.1	15	0	0	4	79
NAK2001	101003	4	5	0.2	3	0.01	0	82	0	0.1	14	0	0	4	76
NAK2001	101004	5	6	0.2	2	0.001	0	95	0	0.1	12	0	0	4	96
NAK2001	101005	6	7	0.1	2	0.001	0	102	0	0.1	12	0	0	4	81
NAK2001	101006	7	8	0.3	2	0.001	0	133	0	0.1	12	0	0	4	84
NAK2001	101007	8	9	0.2	2	0.001	0	101	0	0.1	11	0	0	4	79
NAK2001	101008	9	10	0.2	1	0.001	0	154	0	0.1	11	0	0	4	91
NAK2001	101009	10	11	0.3	2	0.001	0	149	0	0.1	11	0	0	4	87
NAK2001	101010	11	12	0.2	5	0.001	0	234	0	0.1	18	0	0	4	323
NAK2001	101011	12	13	0.2	2	0.001	0	159	0	0.1	12	0	0	4	121
NAK2001	101012	13	14	0.1	2	0.001	0	135	0	0.1	15	0	0	4	74
NAK2001	101013	14	15	0.01	5	0.001	0	275	0	0.1	16	0	0	4	90
NAK2001	101014	15	16	0.1	11	0.01	0	658	0	0.1	63	0	0	4	410
NAK2001	101015	16	17	0.3	8	0.001	0	1120	0	0.1	172	0	0	4	2490
NAK2001	101016	17	18	0.3	1	0.01	0	641	0	0.1	44	0	0	4	1780
NAK2001	101017	18	19	0.5	2	0.06	0	587	0	0.1	42	0	0	4	1600
NAK2001	101018	19	20	0.4	1	0.01	0	402	0	0.1	39	0	0	4	1650
NAK2001	101020	20	21	0.3	2	0.02	0	422	0	0.1	43	0	0	4	2670
NAK2001	101021	21	22	1.4	20	0.04	0	1190	0	6	302	0	0	4	1810
NAK2001	101022	22	23	0.5	2	0.01	0	749	0	0.1	15	0	0	4	2140
NAK2001	101023	23	24	0.4	8	0.16	0	823	0	0.1	158	0	0	4	1970
NAK2001	101024	24	25	0.3	1	0.05	0	715	0	0.1	48	0	0	4	1480
NAK2001	101025	25	26	0.2	2	0.001	0	395	0	0.1	5	0	0	4	828
NAK2001	101026	26	27	0.1	1	0.001	0	372	0	0.1	6	0	0	4	921
NAK2001	101027	27	28	0.1	1	0.001	0	222	0	0.1	7	0	0	4	919
NAK2001	101028	28	29	0.3	3	0.001	0	522	0	0.1	56	0	0	4	1990
NAK2001	101029	29	30.3	20.1	105	0.29	0	28600	0	32	212	0	0	4	74900

Wacker Drill Hole Data BWNBWK0001 - 17

HOLE_ID	SAMPLE_ID	from	to	ag	as	au	bi	cu	mn	mo	pb	sb	se	te	zn
NAK2001	101030	30.3	31.2	3	23	0.05	0	7170	0	13	30	0	0	4	3280
NAK2001	101031	31.2	33	13.2	73	0.28	0	57200	0	56	71	0	0	9	15200
NAK2001	101032	33	34	11.1	45	0.23	0	64500	0	55	50	0	0	17	953
NAK2001	101033	34	35	4.9	58	0.14	0	27000	0	56	48	0	0	13	703
NAK2001	101034	35	36	3.8	29	0.11	0	32700	0	31	34	0	0	9	2160
NAK2001	101035	36	37	3.6	34	0.11	0	31500	0	43	43	0	0	10	1160
NAK2001	101036	37	38	2.6	21	0.08	0	9170	0	46	35	0	0	5	165
NAK2001	101037	38	39	3.7	19	0.08	0	8990	0	54	35	0	0	5	153
NAK2001	101038	39	40	7.2	39	0.12	0	20400	0	140	53	0	0	7	932
NAK2001	101040	40	41	8.6	40	0.13	0	33500	0	108	43	0	0	7	262
NAK2001	101041	41	42	6.6	62	0.12	0	20500	0	51	39	0	0	9	407
NAK2001	101042	42	43	6.4	34	0.11	0	14400	0	43	40	0	0	6	116
NAK2001	101043	43	44	5	38	0.13	0	13300	0	35	53	0	0	6	117
NAK2001	101044	44	45	7.1	56	0.16	0	14100	0	40	90	0	0	5	96
NAK2001	101045	45	46	2.8	21	0.07	0	9760	0	15	25	0	0	4	87
NAK2001	101046	46	47	4	50	0.13	0	11000	0	28	57	0	0	4	129
NAK2001	101047	47	48	2	21	0.08	0	5890	0	16	30	0	0	4	62
NAK2001	101048	48	49	2.2	23	0.08	0	7170	0	18	39	0	0	4	171
NAK2001	101049	49	50	2.5	19	0.08	0	9610	0	20	35	0	0	5	57
NAK2001	101050	50	51	1.5	23	0.07	0	6030	0	12	23	0	0	4	83
NAK2001	101051	51	52	2.1	16	0.07	0	8410	0	21	26	0	0	4	182
NAK2001	101052	52	53	2.7	18	0.07	0	9670	0	19	21	0	0	4	163
NAK2001	101053	53	54	3.3	15	0.14	0	18600	0	18	22	0	0	4	74
NAK2001	101054	54	55	1.9	17	0.08	0	7950	0	18	22	0	0	4	91
NAK2001	101055	55	56	3.2	45	0.08	0	8470	0	16	22	0	0	4	290
NAK2001	101056	56	57	2.2	26	0.08	0	5330	0	15	25	0	0	5	184
NAK2001	101057	57	58	1.6	25	0.09	0	7170	0	18	34	0	0	4	205
NAK2001	101058	58	59	1.3	19	0.06	0	4580	0	13	23	0	0	4	276
NAK2001	101060	59	60.2	1	19	0.07	0	2880	0	9	18	0	0	4	290
NAK2001	101061	60.2	61	1.2	10	0.06	0	3030	0	12	15	0	0	4	138

Wacker Drill Hole Data BWNBWK0001 - 17

HOLE_ID	SAMPLE_ID	from	to	ag	as	au	bi	cu	mn	mo	pb	sb	se	te	zn
NAK2001	101062	61	62	1.2	9	0.05	0	4230	0	12	21	0	0	4	147
NAK2001	101063	62	63	1.5	14	0.06	0	4330	0	17	31	0	0	4	97
NAK2001	101064	63	64	1.2	12	0.05	0	4550	0	14	26	0	0	4	76
NAK2001	101065	64	65	0.6	9	0.03	0	1390	0	9	17	0	0	4	54
NAK2001	101066	65	66	0.8	12	0.04	0	2380	0	14	27	0	0	4	77
NAK2001	101067	66	67	0.5	14	0.04	0	863	0	13	20	0	0	4	42
NAK2001	101068	67	68	0.6	13	0.04	0	1650	0	15	16	0	0	4	136
NAK2001	101069	68	69	0.9	11	0.06	0	1610	0	25	19	0	0	4	52
NAK2001	101070	69	70	0.9	10	0.03	0	1840	0	17	22	0	0	4	61
NAK2001	101071	70	71	1.8	15	0.04	0	2160	0	20	31	0	0	4	88
NAK2001	101072	71	72	0.9	15	0.03	0	1150	0	20	16	0	0	4	87
NAK2001	101073	72	73	1	10	0.03	0	2820	0	20	18	0	0	4	124
NAK2001	101074	73	74	0.9	12	0.04	0	3280	0	21	34	0	0	4	115
NAK2001	101075	74	75	1.3	17	0.04	0	4830	0	29	17	0	0	4	80
NAK2001	101076	75	76	2	19	0.06	0	8240	0	32	32	0	0	4	140
NAK2001	101077	76	77	1	11	0.05	0	2880	0	15	26	0	0	4	41
NAK2001	101078	77	78	1.4	14	0.04	0	5120	0	18	15	0	0	4	64
NAK2001	101080	78	79	1.6	15	0.05	0	6270	0	20	15	0	0	4	68
NAK2001	101081	79	80	2.2	14	0.05	0	6970	0	32	18	0	0	4	116
NAK2001	101082	80	81	1.5	11	0.03	0	5320	0	30	15	0	0	4	98
NAK2001	101083	81	82	4	19	0.05	0	19600	0	25	20	0	0	4	595
NAK2001	101084	82	83	2.8	11	0.03	0	7570	0	29	12	0	0	4	196
NAK2001	101085	83	84	0.1	13	0.01	0	75	0	13	10	0	0	4	223
NAK2001	101086	84	85	0.2	18	0.02	0	20	0	7	15	0	0	4	92
NAK2001	101087	85	86	0.2	16	0.02	0	12	0	6	17	0	0	4	103
NAK2001	101088	86	87	0.2	19	0.01	0	11	0	8	16	0	0	4	99
NAK2001	101089	87	88	0.1	2	0.001	0	9	0	2	5	0	0	4	62
NAK2001	101090	88	89	0.1	2	0.001	0	18	0	2	4	0	0	4	62
NAK2001	101091	89	90	0.01	5	0.001	0	12	0	4	5	0	0	4	62
NAK2001	101092	90	91	0.01	1	0.001	0	6	0	2	4	0	0	4	60

Wacker Drill Hole Data BWNBWK0001 - 17

HOLE_ID	SAMPLE_ID	from	to	ag	as	au	bi	cu	mn	mo	pb	sb	se	te	zn
NAK2001	101093	91	92	0.01	1	0.001	0	6	0	1	2	0	0	4	60
NAK2001	101094	92	93	0.1	1	0.001	0	4	0	0.1	3	0	0	4	50
NAK2001	101095	93	94	0.1	1	0.001	0	3	0	1	3	0	0	4	53
NAK2001	101096	94	95	0.1	6	0.001	0	4	0	1	4	0	0	4	58
NAK2001	101097	95	96	0.3	9	0.01	0	7	0	2	8	0	0	4	68
NAK2001	101098	96	97	0.3	8	0.01	0	5	0	2	75	0	0	4	133
NAK2001	101100	97	98	0.1	5	0.01	0	6	0	4	7	0	0	4	70
NAK2001	101101	98	99	0.01	1	0.001	0	5	0	1	3	0	0	4	77
NAK2001	101102	99	100	0.01	3	0.001	0	4	0	1	2	0	0	4	70
NAK2001	101103	100	101	0.01	6	0.001	0	10	0	1	5	0	0	4	66
NAK2001	101104	101	102	2.1	10	0.03	0	4490	0	30	16	0	0	4	29
NAK2001	101105	102	103	3	9	0.03	0	8450	0	38	16	0	0	4	40
NAK2001	101106	103	104	5.7	13	0.05	0	21700	0	36	20	0	0	4	60
NAK2001	101107	104	105	5.5	15	0.05	0	21700	0	35	18	0	0	4	50
NAK2001	101108	105	106	2.4	12	0.04	0	7320	0	18	17	0	0	4	47
NAK2001	101109	106	107	2.2	13	0.03	0	7300	0	32	14	0	0	4	35
NAK2001	101110	107	108	2.3	10	0.04	0	8310	0	26	23	0	0	4	82
NAK2001	101111	108	109	2.3	13	0.04	0	6180	0	25	15	0	0	4	226
NAK2001	101112	109	110	2.1	8	0.03	0	9350	0	20	12	0	0	4	31
NAK2001	101113	110	111	5.1	27	0.05	0	17600	0	37	27	0	0	4	69
NAK2001	101114	111	112	3.6	17	0.04	0	9130	0	27	24	0	0	4	73
NAK2001	101115	112	113	2.8	16	0.02	0	7040	0	18	17	0	0	4	37
NAK2001	101116	113	114	0.4	4	0.001	0	1020	0	3	6	0	0	4	108
NAK2001	101117	114	115	0.2	2	0.001	0	83	0	1	7	0	0	4	128
NAK2001	101118	115	116	3.6	19	0.03	0	8890	0	37	21	0	0	4	74
NAK2001	101120	116	117	0.5	12	0.02	0	208	0	15	30	0	0	4	254
NAK2001	101121	117	118	1.6	15	0.05	0	17100	0	16	59	0	0	4	78
NAK2001	101122	118	119	1.1	13	0.02	0	7310	0	14	22	0	0	4	25
NAK2001	101123	119	120	0.4	12	0.02	0	3250	0	6	17	0	0	4	15
NAK2001	101124	120	121	0.7	10	0.02	0	5860	0	13	21	0	0	4	23

Wacker Drill Hole Data BWNBWK0001 - 17

HOLE_ID	SAMPLE_ID	from	to	ag	as	au	bi	cu	mn	mo	pb	sb	se	te	zn
NAK2001	101125	121	122	0.5	7	0.02	0	4580	0	8	12	0	0	4	16
NAK2001	101126	122	123	0.5	8	0.02	0	4940	0	6	13	0	0	4	16
NAK2001	101127	123	124	0.3	13	0.02	0	693	0	4	11	0	0	4	6
NAK2001	101128	124	125	0.3	9	0.01	0	506	0	3	12	0	0	4	38
NAK2001	101129	125	126	0.1	2	0.001	0	60	0	0.1	8	0	0	4	108
NAK2001	101130	126	127	0.1	1	0.001	0	24	0	0.1	8	0	0	4	113
NAK2001	101131	127	128	0.5	9	0.02	0	1420	0	3	13	0	0	4	71
NAK2001	101132	128	129	0.4	8	0.01	0	202	0	2	12	0	0	4	65
NAK2001	101133	129	130	0.8	16	0.02	0	293	0	5	20	0	0	4	27
NAK2001	101134	130	131	0.8	17	0.02	0	73	0	4	22	0	0	4	17
NAK2001	101135	131	132	0.9	17	0.02	0	58	0	5	49	0	0	4	501
NAK2001	101136	132	133	0.8	17	0.01	0	72	0	4	18	0	0	4	20
NAK2001	101137	133	134	0.7	12	0.01	0	544	0	3	17	0	0	4	16
NAK2001	101138	134	135	1	16	0.02	0	1110	0	4	16	0	0	4	25
NAK2001	101140	135	136	0.7	7	0.001	0	1390	0	5	25	0	0	4	35
NAK2001	101141	136	137	1.9	21	0.02	0	1140	0	12	470	0	0	4	2420
NAK2001	101142	137	138	0.2	3	0.001	0	48	0	1	12	0	0	4	151
NAK2001	101143	138	139	0.1	3	0.001	0	74	0	2	39	0	0	4	247
NAK2001	101144	139	140	0.1	2	0.001	0	11	0	2	39	0	0	4	108
NAK2001	101145	140	141	0.3	4	0.001	0	10	0	2	163	0	0	4	132
NAK2001	101146	141	142	0.2	4	0.001	0	46	0	1	14	0	0	4	169
NAK2001	101147	142	143	0.2	2	0.001	0	23	0	0.1	11	0	0	4	135
NAK2001	101148	143	144	0.4	2	0.001	0	998	0	1	12	0	0	4	97
NAK2001	101149	144	145	0.1	3	0.01	0	372	0	2	10	0	0	4	19
NAK2001	101150	145	146	0.1	2	0.001	0	240	0	5	9	0	0	4	26
NAK2001	101151	146	147	0.2	1	0.001	0	1370	0	3	10	0	0	4	10
NAK2001	101152	147	148	0.1	2	0.001	0	926	0	2	10	0	0	4	8
NAK2001	101153	148	149	0.2	2	0.001	0	1160	0	5	9	0	0	4	14
NAK2001	101154	149	150	0.3	2	0.01	0	1660	0	6	8	0	0	4	34
NAK2001	101155	150	151	0.01	3	0.001	0	133	0	3	3	0	0	4	34

Wacker Drill Hole Data BWNBWK0001 - 17

HOLE_ID	SAMPLE_ID	from	to	ag	as	au	bi	cu	mn	mo	pb	sb	se	te	zn
NAK2001	101156	151	152	0.01	2	0.001	0	25	0	0.1	3	0	0	4	30
NAK2001	101157	152	153	0.1	4	0.001	0	83	0	1	6	0	0	4	71
NAK2001	101158	153	154	0.1	2	0.001	0	24	0	1	2	0	0	4	85
NAK2001	101160	154	155	0.1	5	0.001	0	71	0	1	6	0	0	4	56
NAK2001	101161	155	156	0.1	3	0.001	0	737	0	0.1	9	0	0	4	24
NAK2001	101162	156	157	0.1	3	0.01	0	445	0	2	11	0	0	4	39
NAK2001	101163	157	158	1.1	4	0.02	0	2240	0	8	15	0	0	4	300
NAK2001	101164	158	159	1.4	6	0.02	0	4480	0	11	17	0	0	4	190
NAK2001	101165	159	160	1.1	6	0.02	0	2980	0	13	19	0	0	9	134
NAK2001	101166	160	161	1.2	10	0.02	0	3720	0	11	18	0	0	6	103
NAK2001	101167	161	162	1.2	3	0.01	0	2650	0	5	9	0	0	4	67
NAK2001	101168	162	163	2.7	25	0.02	0	3950	0	10	17	0	0	4	252
NAK2001	101169	163	164	0.1	2	0.001	0	15	0	0.1	7	0	0	4	113
NAK2001	101170	164	165	1.4	6	0.01	0	6160	0	10	25	0	0	10	53
NAK2001	101171	165	166	1.5	2	0.02	0	12600	0	5	11	0	0	5	44
NAK2001	101172	166	167	1.8	2	0.01	0	14000	0	3	15	0	0	14	44
NAK2001	101173	167	168	0.4	3	0.01	0	792	0	5	9	0	0	4	48
NAK2001	101174	168	169	0.4	3	0.01	0	1220	0	8	10	0	0	4	112
NAK2001	101175	169	170	0.1	3	0.01	0	174	0	7	9	0	0	4	10
NAK2001	101176	170	171	0.5	4	0.01	0	459	0	4	10	0	0	4	37
NAK2001	101177	171	172	0.6	4	0.01	0	713	0	12	14	0	0	4	165
NAK2001	101178	172	173	0.2	5	0.01	0	311	0	7	13	0	0	4	15
NAK2001	101180	173	174	2.1	5	0.03	0	15400	0	13	18	0	0	9	360
NAK2001	101181	174	175	2.9	7	0.02	0	12300	0	9	20	0	0	5	37
NAK2001	101182	175	176	0.3	2	0.001	0	14500	0	1	12	0	0	4	261
NAK2001	101183	176	177	0.1	2	0.001	0	41	0	0.1	7	0	0	4	81
NAK2001	101184	177	178	0.3	27	0.001	0	1170	0	1	12	0	0	4	84
NAK2001	101185	178	179	0.3	11	0.001	0	716	0	2	9	0	0	4	37
NAK2001	101186	179	180	0.01	3	0.001	0	9	0	2	6	0	0	4	30
NAK2001	101187	180	181	0.01	2	0.001	0	6	0	2	3	0	0	4	30

Wacker Drill Hole Data BWNBWK0001 - 17

HOLE_ID	SAMPLE_ID	from	to	ag	as	au	bi	cu	mn	mo	pb	sb	se	te	zn
NAK2001	101188	181	182	0.01	2	0.001	0	298	0	3	2	0	0	4	27
NAK2001	101189	182	183	0.01	2	0.001	0	6	0	2	2	0	0	4	23
NAK2001	101190	183	184	0.01	4	0.001	0	45	0	2	6	0	0	4	24
NAK2001	101191	184	185	0.2	8	0.001	0	113	0	1	9	0	0	4	20
NAK2001	101192	185	186	0.2	7	0.001	0	407	0	2	6	0	0	4	13
NAK2001	101193	186	187	0.5	10	0.01	0	1420	0	2	12	0	0	4	21
NAK2001	101194	187	188	0.2	7	0.001	0	181	0	4	10	0	0	4	32
NAK2001	101195	188	189	0.2	6	0.001	0	504	0	5	8	0	0	4	54
NAK2001	101196	189	190	0.2	4	0.001	0	271	0	1	15	0	0	4	61
NAK2001	101197	190	191	0.2	4	0.001	0	547	0	2	10	0	0	4	58
NAK2001	101198	191	192	0.1	3	0.001	0	46	0	2	9	0	0	4	50
NAK2001	101200	192	193	0.1	3	0.01	0	95	0	1	7	0	0	4	30
NAK2001	101201	193	194	0.1	2	0.001	0	829	0	1	5	0	0	4	35
NAK2001	101202	194	195	0.01	2	0.001	0	54	0	0.1	3	0	0	4	56
NAK2001	101203	195	196	0.01	1	0.001	0	157	0	1	4	0	0	4	67
NAK2001	101204	196	197	0.01	2	0.001	0	93	0	0.1	3	0	0	4	85
NAK2001	101205	197	198	0.01	2	0.001	0	82	0	0.1	4	0	0	4	85
NAK2001	101206	198	199	0.01	2	0.001	0	13	0	0.1	3	0	0	4	80
NAK2001	101207	199	200	0.1	5	0.001	0	69	0	1	5	0	0	4	42
NAK2001	101208	200	201	0.2	13	0.001	0	97	0	3	7	0	0	4	20
NAK2001	101209	201	202	0.2	14	0.001	0	23	0	2	6	0	0	4	22
NAK2001	101210	202	203	0.2	10	0.001	0	50	0	2	5	0	0	4	42
NAK2001	101211	203	204	0.2	19	0.001	0	28	0	4	7	0	0	4	29
NAK2001	101212	204	205	0.2	19	0.001	0	34	0	2	5	0	0	4	35
NAK2001	101213	205	206	0.2	17	0.001	0	15	0	3	8	0	0	4	38
NAK2001	101214	206	207	0.3	18	0.001	0	43	0	3	8	0	0	4	41
NAK2001	101215	207	208	1	11	0.001	0	85	0	2	6	0	0	4	40
NAK2001	101216	208	209	1.1	16	0.001	0	102	0	2	6	0	0	4	26
NAK2001	101217	209	210	2.5	54	0.001	0	19	0	3	10	0	0	4	13
NAK2001	101218	210	211	3.2	31	0.01	0	62	0	2	11	0	0	4	19

Wacker Drill Hole Data BWNBWK0001 - 17

HOLE_ID	SAMPLE_ID	from	to	ag	as	au	bi	cu	mn	mo	pb	sb	se	te	zn
NAK2001	101220	211	212	0.8	7	0.001	0	54	0	3	7	0	0	4	32
NAK2001	101221	212	213	0.2	4	0.001	0	84	0	3	5	0	0	4	40
NAK2001	101222	213	214	0.2	5	0.001	0	17	0	3	8	0	0	4	33
NAK2001	101223	214	215	0.6	8	0.001	0	10	0	5	14	0	0	4	40
NAK2001	101224	215	216	0.3	10	0.001	0	24	0	4	7	0	0	4	49
NAK2001	101225	216	217	0.5	8	0.001	0	362	0	4	7	0	0	4	133
NAK2001	101226	217	218	0.1	4	0.001	0	603	0	3	6	0	0	4	153
NAK2001	101227	218	219	0.1	2	0.001	0	378	0	4	3	0	0	4	138
NAK2001	101228	219	220	0.1	1	0.001	0	10	0	5	3	0	0	4	169
NAK2001	101229	220	221	0.1	4	0.001	0	597	0	6	6	0	0	4	147
NAK2001	101230	221	222	0.1	2	0.001	0	89	0	0.1	6	0	0	4	113
NAK2001	101231	222	223	0.01	1	0.001	0	123	0	3	2	0	0	4	109
NAK2001	101232	223	224	0.01	1	0.001	0	70	0	2	2	0	0	4	84
NAK2001	101233	224	225	0.01	1	0.001	0	292	0	1	4	0	0	4	102
NAK2001	101234	225	226	0.1	2	0.001	0	54	0	1	6	0	0	4	104
NAK2001	101235	226	227	0.2	2	0.001	0	118	0	2	12	0	0	4	76
NAK2001	101236	227	228	0.2	3	0.001	0	60	0	0.1	8	0	0	4	113
NAK2001	101237	228	229	0.2	3	0.001	0	42	0	0.1	9	0	0	4	119
NAK2001	101238	229	230	0.2	7	0.001	0	38	0	0.1	11	0	0	4	136
NAK2001	101240	230	231	1.7	28	0.02	0	487	0	14	479	0	0	4	3640
NAK2001	101241	231	232	11.5	243	0.07	0	673	0	26	1990	0	0	4	36300
NAK2001	101242	232	233	17.2	68	0.08	0	1490	0	19	1230	0	0	8	22700
NAK2001	101243	233	234	9.5	151	0.1	0	1100	0	36	558	0	0	4	26200
NAK2001	101244	234	235	11.2	92	0.04	0	4580	0	34	125	0	0	4	59200
NAK2001	101245	235	236	11.2	290	0.07	0	767	0	45	84	0	0	4	34800
NAK2001	101246	236	237	10.2	255	0.05	0	653	0	47	91	0	0	4	18100
NAK2001	101247	237	238	9.3	195	0.1	0	1070	0	35	75	0	0	4	36100
NAK2001	101248	238	239	4.5	65	0.02	0	1290	0	16	46	0	0	4	23100
NAK2001	101249	239	240	3.8	30	0.02	0	1630	0	5	34	0	0	4	1860
NAK2001	101250	240	241	0.3	7	0.001	0	50	0	0.1	11	0	0	4	128

Wacker Drill Hole Data BWNBWK0001 - 17

HOLE_ID	SAMPLE_ID	from	to	ag	as	au	bi	cu	mn	mo	pb	sb	se	te	zn
NAK2001	101251	241	242	0.1	6	0.001	0	42	0	0.1	5	0	0	4	112
NAK2001	101252	242	243	1.1	11	0.001	0	285	0	2	11	0	0	4	8690
NAK2001	101253	243	244	3	113	0.03	0	558	0	9	23	0	0	4	11300
NAK2001	101254	244	245	1.1	38	0.02	0	398	0	9	21	0	0	4	6060
NAK2001	101255	245	246	3.4	76	0.05	0	3020	0	51	52	0	0	4	303
NAK2001	101256	246	247	1.3	59	0.05	0	547	0	32	39	0	0	4	144
NAK2001	101257	247	248	1	55	0.02	0	528	0	18	35	0	0	4	203
NAK2001	101258	248	249	0.8	23	0.01	0	1420	0	7	21	0	0	4	349
NAK2001	101260	249	250	0.7	23	0.02	0	295	0	5	21	0	0	4	298
NAK2001	101261	250	251	0.5	20	0.001	0	632	0	5	18	0	0	4	78
NAK2001	101262	251	252	0.3	12	0.001	0	59	0	4	15	0	0	4	31
NAK2001	101263	252	253	0.9	15	0.001	0	467	0	7	14	0	0	4	195
NAK2001	101264	253	254	2.1	15	0.02	0	1370	0	5	17	0	0	4	111
NAK2001	101265	254	255	0.6	16	0.001	0	33	0	4	15	0	0	4	31
NAK2001	101266	255	256	0.4	14	0.03	0	65	0	4	15	0	0	4	16
NAK2001	101267	256	257	1.2	9	0.01	0	96	0	5	12	0	0	4	31
NAK2001	101268	257	258	1.3	20	0.01	0	49	0	6	16	0	0	4	16
NAK2001	101269	258	259	1.5	20	0.01	0	252	0	5	22	0	0	4	12
NAK2001	101270	259	260	1	20	0.01	0	78	0	7	15	0	0	4	36
NAK2001	101271	260	261	0.8	23	0.02	0	35	0	10	12	0	0	4	22
NAK2001	101272	261	262	1.2	28	0.02	0	2700	0	17	19	0	0	4	108
NAK2001	101273	262	263	1.5	13	0.01	0	4600	0	15	14	0	0	4	48
NAK2001	101274	263	264	0.6	11	0.01	0	198	0	9	12	0	0	4	17
NAK2001	101275	264	265	1	9	0.01	0	1040	0	6	11	0	0	4	12
NAK2001	101276	265	266	0.2	9	0.001	0	16	0	9	10	0	0	4	76
NAK2001	101277	266	267	0.1	10	0.001	0	14	0	14	9	0	0	4	16
NAK2001	101278	267	268	0.1	28	0.001	0	17	0	14	12	0	0	4	18
NAK2001	101280	268	269	0.3	21	0.01	0	242	0	14	11	0	0	4	12
NAK2001	101281	269	270	1.8	21	0.01	0	616	0	16	12	0	0	4	58
NAK2001	101282	270	271	0.7	10	0.001	0	1040	0	14	6	0	0	4	19

Wacker Drill Hole Data BWNBWK0001 - 17

HOLE_ID	SAMPLE_ID	from	to	ag	as	au	bi	cu	mn	mo	pb	sb	se	te	zn
NAK2001	101283	271	272	0.1	2	0.001	0	42	0	5	3	0	0	4	75
NAK2001	101284	272	273	0.01	2	0.001	0	4	0	1	3	0	0	4	70
NAK2001	101285	273	274	0.1	2	0.001	0	4	0	3	3	0	0	4	154
NAK2001	101286	274	275	0.01	2	0.001	0	3	0	1	3	0	0	4	81
NAK2001	101287	275	276	0.1	1	0.001	0	4	0	1	3	0	0	4	84
NAK2001	101288	276	277	0.1	1	0.001	0	3	0	0.1	2	0	0	4	83
NAK2001	101289	277	278	0.1	1	0.001	0	3	0	2	2	0	0	4	103
NAK2001	101290	278	279	0.1	2	0.001	0	40	0	1	6	0	0	4	176
NAK2001	101291	279	280	0.1	2	0.001	0	28	0	1	6	0	0	4	114
NAK2001	101292	280	281	0.01	1	0.001	0	4	0	1	2	0	0	4	92
NAK2001	101293	281	282	0.1	1	0.001	0	3	0	1	3	0	0	4	81
NAK2001	101294	282	283	0.1	1	0.001	0	2	0	1	2	0	0	4	79
NAK2001	101295	283	284	0.01	1	0.001	0	2	0	1	2	0	0	4	79
NAK2001	101296	284	285	0.1	1	0.001	0	28	0	0.1	2	0	0	4	79
NAK2001	101297	285	286	0.01	1	0.001	0	2	0	0.1	2	0	0	4	76
NAK2001	101298	286	287	0.01	1	0.001	0	2	0	1	3	0	0	4	75
NAK2001	101300	287	288	0.01	1	0.001	0	2	0	1	3	0	0	4	70
NAK2001	101301	288	289	0.1	2	0.001	0	5	0	3	4	0	0	4	171
NAK2001	101302	289	290	0.01	2	0.001	0	2	0	0.1	2	0	0	4	81
NAK2001	101303	290	291	0.1	2	0.001	0	3	0	4	1	0	0	4	152
NAK2001	101304	291	292	0.01	2	0.001	0	3	0	0.1	2	0	0	4	72
NAK2001	101305	292	293	0.1	1	0.001	0	2	0	1	3	0	0	4	69
NAK2001	101306	293	294	0.01	2	0.001	0	2	0	1	2	0	0	4	66
NAK2001	101307	294	295	0.1	1	0.001	0	3	0	0.1	2	0	0	4	76
NAK2001	101308	295	296	0.01	1	0.001	0	2	0	1	2	0	0	4	61
NAK2001	101309	296	297	0.01	1	0.001	0	3	0	1	3	0	0	4	60
NAK2001	101310	297	298	0.01	1	0.001	0	7	0	1	3	0	0	4	65
NAK2001	101311	298	299	0.01	1	0.001	0	2	0	1	2	0	0	4	63
NAK2001	101312	299	299.8	0.1	2	0.001	0	8	0	0.1	4	0	0	4	60
NAK2002	101313	0	5	0.2	9	0.001	0	89	0	1	18	0	0	4	90

Wacker Drill Hole Data BWNBWK0001 - 17

HOLE_ID	SAMPLE_ID	from	to	ag	as	au	bi	cu	mn	mo	pb	sb	se	te	zn
NAK2002	101314	5	7	0.2	4	0.001	0	95	0	0.1	19	0	0	4	139
NAK2002	101315	7	9	0.1	5	0.001	0	93	0	0.1	16	0	0	4	109
NAK2002	101316	9	10	0.1	3	0.001	0	124	0	0.1	9	0	0	4	107
NAK2002	101317	10	11	0.1	2	0.001	0	145	0	0.1	11	0	0	4	94
NAK2002	101318	11	12	0.2	3	0.001	0	408	0	0.1	13	0	0	4	595
NAK2002	101319	12	14	0.2	2	0.001	0	308	0	0.1	13	0	0	4	193
NAK2002	101320	14	15	0.3	3	0.001	0	533	0	0.1	35	0	0	4	135
NAK2002	101321	15	16	0.01	14	0.01	0	363	0	1	22	0	0	4	166
NAK2002	101322	16	17	0.2	39	0.02	0	793	0	3	53	0	0	4	95
NAK2002	101323	17	18	0.7	270	0.02	0	759	0	1	101	0	0	4	148
NAK2002	101324	18	19	0.6	16	0.001	0	2120	0	0.1	74	0	0	4	1110
NAK2002	101325	19	20	0.6	33	0.01	0	1170	0	0.1	123	0	0	4	375
NAK2002	101326	20	21	0.9	11	0.01	0	1340	0	3	54	0	0	4	791
NAK2002	101327	21	22	1.4	6	0.01	0	1290	0	2	31	0	0	4	744
NAK2002	101328	22	23	1.4	19	0.03	0	526	0	8	27	0	0	4	167
NAK2002	101329	23	24	0.5	8	0.01	0	606	0	5	21	0	0	4	500
NAK2002	101330	24	25	0.2	17	0.001	0	1100	0	0.1	29	0	0	4	1260
NAK2002	101331	25	25.7	0.2	10	0.02	0	555	0	0.1	16	0	0	4	1360
NAK2002	101333	25.7	26	1	22	0.01	0	570	0	0.1	16	0	0	4	1070
NAK2002	101334	26	26.5	1	16	0.01	0	886	0	0.1	23	0	0	4	901
NAK2002	101335	26.5	27	0.7	18	0.001	0	210	0	0.1	13	0	0	4	1250
NAK2002	101336	27	28	5.6	19	0.05	0	749	0	5	25	0	0	4	763
NAK2002	101337	28	30	0.3	10	0.04	0	223	0	1	335	0	0	4	1250
NAK2002	101338	30	31	7	18	0.07	0	368	0	2	495	0	0	4	635
NAK2002	101339	31	32	0.3	14	0.01	0	89	0	0.1	22	0	0	4	782
NAK2002	101340	32	33	0.1	5	0.001	0	38	0	0.1	6	0	0	4	1040
NAK2002	101341	33	34	0.01	14	0.001	0	32	0	0.1	6	0	0	4	900
NAK2002	101342	34	35	0.1	12	0.001	0	90	0	0.1	7	0	0	4	1080
NAK2002	101343	35	36	0.6	24	0.02	0	455	0	0.1	500	0	0	4	1500
NAK2002	101344	36	37	3.7	107	0.07	0	2550	0	12	650	0	0	4	6380

Wacker Drill Hole Data BWNBWK0001 - 17

HOLE_ID	SAMPLE_ID	from	to	ag	as	au	bi	cu	mn	mo	pb	sb	se	te	zn
NAK2002	101345	37	38	10.9	103	0.3	0	28000	0	47	150	0	0	4	96000
NAK2002	101346	38	39	3.2	31	0.05	0	8120	0	24	124	0	0	4	1360
NAK2002	101347	39	40	6.3	67	0.15	0	22000	0	54	143	0	0	6	966
NAK2002	101348	40	41	10.2	137	0.24	0	31600	0	83	86	0	0	10	393
NAK2002	101349	41	42	17.2	134	0.48	0	66500	0	84	113	0	0	14	15200
NAK2002	101350	42	42.8	23	122	0.58	0	72400	0	68	118	0	0	18	25700
NAK2002	101351	42.8	44	9	65	0.13	0	17800	0	39	310	0	0	6	1180
NAK2002	101353	44	45	10.6	82	0.13	0	18700	0	58	229	0	0	5	737
NAK2002	101354	45	46	10.3	76	0.14	0	13600	0	64	226	0	0	5	337
NAK2002	101355	46	47	6.5	36	0.08	0	8570	0	40	242	0	0	4	326
NAK2002	101356	47	48	8.6	58	0.12	0	14500	0	62	365	0	0	4	632
NAK2002	101357	48	49	3.7	20	0.03	0	4360	0	21	307	0	0	4	884
NAK2002	101358	49	50	5.5	29	0.03	0	6840	0	26	83	0	0	4	454
NAK2002	101359	50	51	4.1	23	0.04	0	4720	0	16	211	0	0	4	451
NAK2002	101360	51	52	3.4	35	0.08	0	10100	0	45	57	0	0	4	327
NAK2002	101361	52	53	5	45	0.09	0	9130	0	33	86	0	0	5	528
NAK2002	101362	53	54	5.7	54	0.09	0	16300	0	31	48	0	0	5	322
NAK2002	101363	54	55	0.2	6	0.001	0	307	0	0.1	16	0	0	4	934
NAK2002	101364	55	56	0.2	6	0.01	0	382	0	1	27	0	0	4	1130
NAK2002	101365	56	57	4	35	0.06	0	8840	0	20	120	0	0	4	422
NAK2002	101366	57	58	5.4	61	0.07	0	14600	0	27	73	0	0	4	195
NAK2002	101367	58	59	4.4	31	0.06	0	13500	0	27	35	0	0	4	269
NAK2002	101368	59	60	3.8	47	0.07	0	13300	0	28	40	0	0	4	267
NAK2002	101369	60	61	5.3	74	0.11	0	13500	0	77	63	0	0	4	242
NAK2002	101370	61	62	3.8	47	0.06	0	6020	0	53	39	0	0	4	253
NAK2002	101371	62	63	7.6	84	0.14	0	16500	0	101	72	0	0	4	1100
NAK2002	101373	63	64	3.2	39	0.05	0	7420	0	33	36	0	0	4	328
NAK2002	101374	64	65	2.9	38	0.06	0	7950	0	33	38	0	0	4	421
NAK2002	101375	65	66	4.1	31	0.06	0	7440	0	34	188	0	0	4	1330
NAK2002	101376	66	67	3.1	26	0.05	0	5890	0	25	42	0	0	4	423

Wacker Drill Hole Data BWNBWK0001 - 17

HOLE_ID	SAMPLE_ID	from	to	ag	as	au	bi	cu	mn	mo	pb	sb	se	te	zn
NAK2002	101377	67	68	5.2	42	0.09	0	13600	0	41	80	0	0	4	2890
NAK2002	101378	68	69	4.2	31	0.07	0	12900	0	21	47	0	0	7	463
NAK2002	101379	69	70	3.4	36	0.06	0	10300	0	28	42	0	0	4	375
NAK2002	101380	70	71	4.4	57	0.08	0	13200	0	47	61	0	0	5	381
NAK2002	101381	71	72	2.8	40	0.07	0	4860	0	50	135	0	0	4	270
NAK2002	101382	72	73	2.8	36	0.06	0	6700	0	28	60	0	0	4	1000
NAK2002	101383	73	74	2.3	33	0.06	0	8640	0	19	27	0	0	4	63
NAK2002	101384	74	75	2.9	33	0.06	0	11100	0	20	26	0	0	4	51
NAK2002	101385	75	76	2.7	16	0.05	0	8410	0	17	21	0	0	4	62
NAK2002	101386	76	77	2.3	31	0.06	0	5730	0	21	24	0	0	4	181
NAK2002	101387	77	78	2.1	30	0.07	0	5720	0	40	25	0	0	4	39
NAK2002	101388	78	79	3.1	18	0.05	0	9700	0	11	19	0	0	4	50
NAK2002	101389	79	80	1.6	23	0.04	0	3320	0	16	20	0	0	4	38
NAK2002	101390	80	81	1.9	24	0.05	0	3560	0	17	24	0	0	4	48
NAK2002	101391	81	82	1.9	22	0.04	0	3890	0	20	26	0	0	4	56
NAK2002	101393	82	83	1.5	42	0.06	0	2860	0	39	33	0	0	4	75
NAK2002	101394	83	84	1.6	44	0.06	0	1930	0	26	31	0	0	4	40
NAK2002	101395	84	85	1.8	44	0.07	0	3560	0	29	43	0	0	5	102
NAK2002	101396	85	86	2.3	34	0.06	0	3240	0	25	41	0	0	4	83
NAK2002	101397	86	87	2.4	36	0.05	0	4490	0	21	33	0	0	4	188
NAK2002	101398	87	88	2.7	29	0.06	0	6890	0	19	29	0	0	4	106
NAK2002	101399	88	89	2.8	42	0.06	0	6700	0	25	36	0	0	4	152
NAK2002	101400	89	90	2.2	22	0.04	0	7820	0	10	25	0	0	4	113
NAK2002	101401	90	91	2.4	29	0.04	0	9500	0	16	32	0	0	5	70
NAK2002	101402	91	92	2	33	0.03	0	4880	0	24	40	0	0	4	87
NAK2002	101403	92	93	1.4	23	0.04	0	3010	0	11	27	0	0	4	92
NAK2002	101404	93	94	1.2	33	0.03	0	840	0	16	29	0	0	4	129
NAK2002	101405	94	95	1.5	22	0.03	0	3790	0	17	28	0	0	4	60
NAK2002	101406	95	96	1.6	26	0.04	0	4820	0	23	37	0	0	4	129
NAK2002	101407	96	97	1.6	20	0.04	0	13800	0	55	33	0	0	4	95

Wacker Drill Hole Data BWNBWK0001 - 17

HOLE_ID	SAMPLE_ID	from	to	ag	as	au	bi	cu	mn	mo	pb	sb	se	te	zn
NAK2002	101408	97	98	0.6	47	0.02	0	2870	0	50	14	0	0	4	43
NAK2002	101409	98	99	0.7	29	0.03	0	3230	0	23	11	0	0	4	119
NAK2002	101410	99	100	1.9	29	0.02	0	10400	0	21	18	0	0	4	87
NAK2002	101411	100	101	1.7	21	0.03	0	5250	0	15	18	0	0	4	59
NAK2002	101413	101	102	1.5	24	0.02	0	4420	0	12	13	0	0	4	39
NAK2002	101414	102	103	1.8	17	0.02	0	5010	0	11	25	0	0	4	94
NAK2002	101415	103	104	1.9	26	0.03	0	1690	0	15	22	0	0	4	106
NAK2002	101416	104	105.8	0.7	6	0.01	0	466	0	1	14	0	0	4	237
NAK2002	101417	105.8	107	2	55	0.03	0	1400	0	6	59	0	0	4	136
NAK2002	101418	107	108	1.3	44	0.02	0	1600	0	4	25	0	0	4	67
NAK2002	101419	108	109	2	57	0.02	0	1350	0	10	41	0	0	4	93
NAK2002	101420	109	111	2.5	160	0.11	0	226	0	37	36	0	0	4	1980
NAK2002	101421	111	112.7	3.7	153	0.14	0	94	0	59	24	0	0	4	264